





# RHEUMATIC HEART DISEASE IN PREGNANCY

Cheryl Liddiard Clinical Nurse Specialist WA RHD Register & Control Program

WA Rural Health Conference 11/03/2023





Hello, I am Cheryl Liddiard

I am privileged to live and work on Whadjuk Boodja, the lands of the Noongar Nation here in Perth





# Rheumatic heart disease in pregnancy

- Brief overview of rheumatic heart disease (RHD)
- Describe the care for women with rheumatic heart disease in pregnancy
- What can you do to support pregnant women and families in your care with RHD
- Share how WA RHD Register can support you with caring for people with RHD









#### **Rheumatic Heart Disease (RHD)**

chronic damage to heart valves caused by a single or recurrent episode(s) of ARF.







## Rheumatic heart disease



P1: Severe RHD,
 <5yo,</li>
 multiple recurrences or
 pregnant high risk



**P2**: Moderate RHD

 P3: Borderline/ Mild RHD / ARF only








#### **Burden of disease**


Figure 4. Total population (A) and Indigenous (B) age-standardized prevalence (per 100 000) of acute rheumatic fever or rheumatic heart disease in five Australian jurisdictions, by Indigenous Region Categories.

Within jurisdictional geographic regions are aggregations of 33 separate Indigenous Regions provided by the Australian Bureau of Statistics (see Data S1). NSW indicates New South Wales; NT, Northern Territory; QLD, Queensland; SA, South Australia; TAS Tasmania; VIC, Victoria; and WA, Western Australia.

#### A Total population



#### B Indigenous population



Katzenellenbogen JM, Bond-Smith D & Seth R et a;., 2020 Contemporary incidence and prevalence of rheumatic fever and rheumatic heart disease in Australia using linked data: the case for policy change, *J Am Heart Assoc*, 9, 1-26

All Registers: >9,000 patients WA Register: >1,300 patients





## **Fast facts**

#### **ARF & RHD IN WESTERN AUSTRALIA**

97% of the

ARF reported

in Western Australia is among Aboriginal and Torres Strait Islander people



Rates of ARF and RHD are highest in the Kimberley

Most
HEART VALVE
SURGERIES
occur among people
aged 25-34 YEARS






MORE 1300

PEOPLE ARE LIVING WITH ARF OR RHD IN WESTERN AUSTRALIA



19% of people have SEVERE disease at FIRST RHD diagnosis





# Women with RHD during pregnancy

Hearts with RHD poorly tolerate the increasing demands due to compromised heart function

- blood volume 30-50%
- heart rate by 15 beats per minute
- cardiac output







## **RHD** conditions

A woman's journey often starts well before pregnancy

 Known moderate or severe RHD – most at risk

RHD could be silent







#### RHD - mitral stenosis

Most concerning valve lesion

#### Severe mitral stenosis

With increasing cardiac demand

- obstruction worsens
- heart failure
- pulmonary oedema
- Atrial fibrillation







## RHD – prosthetic valves

Associated with higher risk in pregnancy

#### **Anticoagulant therapy**

Very challenging to manage

- heart failure
- Atrial fibrillation
- Infective endocarditis



Mechanical and Tissue Mitral Valves








RHD in pregnancy – working in partnership

Give the best chance for safe pregnancy

- Screen for cardiac illness history
- Auscultate the heart ?murmur
- Refer to cardiology echocardiogram
- Planning the pregnancy journey
  - Delivery location
  - Surveillance plan / follow up
  - Medications
  - Continue secondary prophylaxis










# Women and girls with RHD - Pregnancy focus



Care pathways and referral algorithm for pregnant women with RHD https://www.rhdaustralia.org.au



# Life course approach to care

Early review - <20weeks for heart assessment of heart valves

The 2020 Australian guidaling for p The 2020 Australian guidaling for p The 2020 Australian guidaling for n prevention, diagnosis and fi management of acute rheumatic (infever and rheumatic heart disease)

Refer to the ARF RHD guidelines and pathway algorithm

Primary prevention

Oral health



(3rd edition)



# **BPG** prophylaxis

- Safe during pregnancy and breastfeeding
- Continue BPG every 21-28 days during pregnancy









# Life course approach to care

After delivery – high risk

Post delivery review


Contraception – preconception education







# How can you help?



WOMEN /

RHI

RHD IN PREGNANCY

ADMINISTERING BICILLIN

Not sure? Call us! 1300 622 745



NG ACUTE RHEUMATIC FEVER

WOMEN AND GIRLS WITH
RHEUMATIC HEART DISEASE

# Sharing a heartbeat 2 - English




Sharing A Heartbeat 2 - English - YouTube





# How can we help?







# Take home messages

- You can make a difference by working in partnership for culturally safe and supportive care
- A woman's RHD journey starts before pregnancy
- Mitral stenosis is the most concerning valve lesion
- RHD can be silent be vigilant with vulnerable populations
- Low threshold for echo and cardiology review
- Continue secondary prophylaxis during pregnancy
- Please contact the RHD Register for advice









#### References

- RHD Australia (ARF/RHD writing group). The 2020 Australian guideline for prevention, diagnosis and management of acute rheumatic fever and rheumatic heart disease (3.2 edition); March 2022 (https://www.rhdaustralia.org.au)
  - For staff e-learning, information, teaching tools
  - For patients information, stories, cartoons, pamphlets, videos etc
- Rheumatic Heart Disease (health.wa.gov.au)
- Australian Institute of Health & Welfare (https//: www.aihw.org.au)
- Ongzalina et al., 2020, Rheumatic heart disease in pregnancy: profile of women admitted to a WA tertiary obstetric hospital, Aust N Z Obst Gynae, vol 60, p.p. 302-308
- Vaughan et al., 2021, Rheumatic heart disease in pregnancy: new strategies for an old disease, Global Heart, no. 16, vol. 1, p.p. 84-88
- RHD Australia resource: Sharing a heartbeat 2 (youtube.com) <u>Sharing A</u> <u>Heartbeat 2 - English - YouTube</u>





# Rheumatic Heart Disease is PREVENTABLE





