## PDC2021 Vienna, Austria

Please submit your abstract at https://atpi.eventsair.com/7th-iaa-planetary-defenseconference-2021/abstractsubmission

You may visit https://iaaspace.org/pdc

(please choose one box to be checked) (you may also add a general comment - see end of the page)

Key International and Political Developments Advancements and Progress in NEO Discovery
NEO Characterization Results
Deflection and Disruption Models & Testing
x Mission & Campaign Designs
Impact Consequences
Disaster Response
Decision to Act
Public Education & Communication

The measurement goals and payload of the Hera mission to Dimorphos

Michael Küppers<sup>(1)</sup>, Patrick Michel<sup>(2)</sup>, Alan Fitzsimmons<sup>(3)</sup>, Simon F. Green<sup>(4)</sup>, Monica Lazzarin<sup>(5)</sup>, Stephan Ulamec<sup>(6)</sup>, Ian Carnelli<sup>(7)</sup>, Paolo Martino<sup>(7)</sup> and the Hera Science Team

 <sup>(1)</sup>ESA-European Space Astronomy Centre, Camino bajo del Castillo S/N, Urbanización Villafranca del Castillo, 28692 Villanueva de la Cañada, Madrid, Spain <sup>(2)</sup>Université Côte d'Azur, Observatoire de la Côte d'Azur, CNRS, Laboratoire Lagrange, CS 34229, 06304 Nice Cedex 4, France, <u>michelp@oca.eu</u>
 <sup>(3)</sup>Astrophysics Research Centre, Queen's University Belfast, Belfast BT7 1NN, Northern Ireland
 <sup>(4)</sup>School of Physical Sciences, The Open University, Robert Hooke Building, Walton Hall, Milton Keynes MK7 6AA, UK
 <sup>(5)</sup>Department of Physics and Astronomy, Padova University, Vicolo dell'Osservatorio, 3 35122 Padova, Italy
 <sup>(6)</sup>DLR RB-MUSC, Linder Höhe 1, 51147 Cologne, Germany
 <sup>(7)</sup>ESA-ESTEC, Keplerlaan 1, Noordwijk 2200 AG, Netherlands

Keywords: Asteroid deflection, Kinetic Impact, Asteroid Investigation

## ABSTRACT

Hera is a mission under development in the ESA Space Safety Program, whose primary objective is to perform detailed measurements of the outcome of the NASA DART kinetic impactor test on the moon Dimorphos of the binary asteroid 65803 Didymos.

The main objectives of the Hera mission are:

- Measure the mass of Dimorphos to estimate the momentum transfer efficiency of the DART impact on Dimorphos
- Accurately characterise the crater created by DART, to improve our understanding of impact physics and to observe unweathered material, recently exposed to the surface.
- Determine the physical properties of Dimorphos, including its internal structure, to allow scaling of the impact to different types of asteroids
- Measure the dynamical and physical state of the Didymos and Dimorphos system to constrain binary formation scenarios.

Hera is equipped with the following payload:

- 1. The Asteroid Framing Cameras are both science and navigation cameras. They will provide the target global properties as well as local geomorphology and will investigate the crater. They will also measure the mass of Dimorphos through the "wobble" motion of Didymos.
- 2. The Planetary ALTimeter (PALT) will measure the distance to the target and, from close distance, derive shape and topography information complementary to the shape information in framing camera images.
- 3. A thermal infrared imager (TIRI) will provide information about the thermal properties of the Didymos system and spectral information in the mid-infrared.
- 4. The Hyperscout-H hyperspectral imager will provide mineralogical information in the spectral range between 450 and 950 nm.
- 5. Milani is a 6 unit cubesat that will carry the ASPECT Fabry-Perot imager to derive mineralogical information on the composition of the asteroids, and a thermogravimeter for measuring the abundance and constraining the composition of ambient dust particles.
- 6. Juventas is a 6 unit cubesat that will carry a monostatic low-frequency radar, and a gravimeter to derive interior and surface properties of the asteroids.
- 7. The radioscience experiment will measure the gravity field of the Didymos system. It will work in two ways: measurements of the acceleration of the Hera spacecraft by the asteroid pair through the radio link between earth and Hera will be used as well as the intersatellite link between Hera and the two cubesat, which will gravitational parameters from the relative position and velocity of the three spacecraft.

We will describe how the goals of Hera will be achieved with the different payload elements.

\*\*\*\*\*\*

Comments:

This is an abstract for an oral presentation in the highlight/spotlight session devoted to the Hera mission