

THE **9<sup>TH</sup> LONDON-INNSBRUCK** COLLOQUIUM **ON STATUS EPILEPTICUS** AND ACUTE SEIZURES

APRIL 8 - 10, 2024 IMPERIAL COLLEGE LONDON, UK



FINAL **PROGRAMME BOOK** 

WWW.STATUSEPILEPTICUS.EU









### PATRONS

University College London Institute of Neurology Queen Square London WC1N 3BG United Kingdom

Karl Landsteiner Gesellschaft Verein zu Förderung Medizinischer-Wissenschaftlicher Forschung Franziskanergasse 4a 3100 St. Pölten Austria EpiCARE Hôpital Femme Mère Enfant (HFME) 59 Boulevard Pinel 69677 Bron France

ILAE Commission on European
Affairs
c/o International League Against
Epilepsy
Headquarters Office. 342 North
Main Street
West Hartford, CT 06117-2507
United States

### CHAIRS

Eugen Trinka, Salzburg, Austria Simon Shorvon, London, United Kingdom Matthew Walker, London, United Kingdom

**Layout:** carpemedia GbR, 6020 Innsbruck **Print:** Pureprint Group Limited, London

Patrons & Chairs		2	
Welc	ome	4	
Inform	nation for speakers	5	
Inform	nation for poster presenters	6	
Scien	tific programme	8	
	Monday, April 8 <sup>th</sup> , 2024	8	
	Tuesday, April 9 <sup>th</sup> , 2024	10	
	Wednesday, April 10 <sup>th</sup> , 2024	12	
List of faculty 14			
List of posters 20			
Spon	Sponsors and exhibitors 49		
	Colloquium Dinner 51		
	General Information 53		
Notes 58			

### **DEAR COLLEAGUES**

It is our greatest pleasure to welcome you to the 9<sup>th</sup> London-Innsbruck Colloquium on Status Epilepticus and Acute Seizures. This meeting has been held every two years since 2007 and has become a landmark meeting in the international epilepsy calendar. During this time there have been exciting advances in the field, with better mechanistic understanding and new treatments and clinical strategies, and we like to think that the Colloquia have played a part in the progress made.

The faculty includes the leading figures in the field of Status Epilepticus and Acute Seizures from around the world. There is an exciting and stimulating programme which should appeal to all those interested in the field, and is designed for both senior and junior clinicians and scientists and others.

For the first time, we also offer a hybrid facility, with virtual online attendance at the colloquium as well as attendance in person. After the conference, material and lectures will be available for one month online to all virtual and in-person attendees.

As in the previous Colloquia, we pay particular attention to making the meeting both interesting and enjoyable for our delegates, and we look forward to meeting and welcoming you to the Colloquium.

With warm regards Simon Shorvon, Eugen Trinka and Matthew Walker (Co-Chairs of the London-Innsbruck Colloquium)



Simon Shorvon



Eugen Trinka



Matthew Walker

### **INFORMATION FOR SPEAKERS**

Please make sure to bring your PowerPoint presentation on a USB-stick to the MEDIA CHECK at Imperial College London 1 hour prior to the start of your session.

Do not bring your own laptop for the presentation. In case your presentation contains video sequences, please ensure to pack them with a standard codec and do not store them in a Quick Time format since this may not be compatible with PowerPoint presentations.

In order to be able to keep the time schedule, please make sure not to exceed the allotted speaking time.

#### Disclosure of potential conflicts of interest:

Speakers at the 9<sup>th</sup> London-Innsbruck Colloquium on Status Epilepticus and Acute Seizures are requested to disclose their potential conflicts of interest. Consequently, a conflict of interest statement should be included on your first slide.

#### Opening hours media check:

Monday, April 08 <sup>th</sup> , 2024:	08:00 - 17:00
Tuesday, April 09 <sup>th</sup> , 2024:	08:00 - 17:00
Wednesday, April 10 <sup>th</sup> , 2024:	08:00 - 17:00

### INFORMATION FOR POSTER PRESENTERS

#### Poster format:

Please bring your poster in **portrait style**. Poster measures must not exceed A0 format (84,1 cm / 33,11" in width and 118,9 cm / 46,8" in height). No other formats are allowed! Posters exceeding the above-mentioned directions cannot be displayed. Mounting material will be provided on site.

All posters should be displayed during the entire Colloquium and mounted on Monday, April 8th in the morning. They have to be taken down on Wednesday, April 10th by the end of the Colloquium. All posters not taken down by then will be discarded.

#### Poster discussion:

There are time slots explicitly dedicated to the posters every day. The dates and times are scheduled as follows:

Monday, April 08 <sup>th</sup> , 2024:	13:15 - 14:15
Tuesday, April 09 <sup>th</sup> , 2024:	13:00 - 14:00
Wednesday, April 10 <sup>th</sup> , 2024:	13:20 - 14:20

During these times, you or one of your co-authors should be at your poster site and be prepared to answer questions.

### PRE-COLLOQUIUM TEACHING COURSE CONTINUOUS EEG IN ICU

#### Venue cEEG course

University College London Institute of Neurology, Lecture theatre 33 Queen Square London WC1N 3BG, United Kingdom

### **SUNDAY, APRIL 7<sup>TH</sup> 2024**

#### 09.00 – 17.45 Pre-Colloquium Teaching Course - Continuous EEG in ICU

The Pre-Colloquium Teaching Course will be taught by an international faculty who are leaders in the field, and delegates will receive a pack of teaching materials.

The course is designed for trainees and consultant level clinicians and for technical staff. Programme details can be found online on the official conference website https://www.statusepilepticus.eu/

### 9<sup>TH</sup> LONDON-INNSBRUCK COLLOQUIUM ON STATUS EPILEPTICUS AND ACUTE SEIZURES

#### Venue conference

Imperial College London, Sherfield Building South Kensington Campus London SW7 2AZ, United Kingdom

#### MONDAY, APRIL 8TH 2024

09.00 - 09.45	Introduction: Opening and ILAE address		
	Eugen Trinka (Salzburg, Austria)		
	Simon Shorvon (London, United Kingdom)		
	Matthew Walker (London, United Kingdom)		
	Surviving Status Epilepticus - The patient and		
	family perspective		

- 09.45 11.45 Session 1: Aetiology and predictors of status epilepticus Chairs: Mark Richardson (London, United Kingdom), Erik Taubøll (Oslo, Norway)
- 09.45 10.25 Al and machine learning in status epilepticus Stefano Meletti (Modena, Italy)
- 10.25 11.05 Informatics and implementation science in status epilepticus Hiba Haider (Chicago, United States)
- 11.05 11.45 Challenges in defining and treating neonatal status epilepticus Ronit Pressler (London, United Kingdom)
- 11.45 12.15 Coffee Break

- **12.15 13.15** Satellite Symposium (for details see page 50)
- 13.15 14.15 Lunch Break & Posters
- 14.15 15.15Session 2: Key Note Lecture: The past and future<br/>of treatment of status epilepticus<br/>Chair: Daniel Lowenstein<br/>(San Francisco, United States)
- 14.15 14.45 The past treatment of status epilepticus and its sometimes painful lessons Simon Shorvon (London, United Kingdom)
- 14.45 15.15 The future treatment and direction of treatment of status epilepticus Thomas Bleck (Chicago, United States)

#### 15.15 - 15.45 Coffee Break

- 15.45 17.45Session 3: The long-term outcomes of status<br/>epilepticus<br/>Chairs: Sarah Hocker (Kansas City, United States),<br/>Stefano Meletti (Modena, Italy)
- 15.45 16.25 Mortality and morbidity of status epilepticus over the long term Leena Kämppi (Helsinki, Finland)
- 16.25 17.05 New MRI data on brain damage caused by status epilepticus Pilar Bosque-Varela (Salzburg, Austria)
- 17.05 17.45 Impact of social factors on the outcome of status epilepticus Aidan Neligan (London, United Kingdom)

### TUESDAY, APRIL 9<sup>™</sup> 2024

08.30 - 10.30	<b>Session 4: The borderlands of status epilepticus:</b> <b>psychosis and encephalopathy</b> Chairs: Marco Mula (London, United Kingdom), Helen Cross (London, United Kingdom)
08.30 - 09.10	Catatonia and its differentiation from status epilepticus Jonathan Rogers (London, United Kingdom)
09.10 - 09.50	Status epilepticus and psychosis: Lessons from SEEG Fabrice Bartolomei (Marseille, Fance)
09.50 - 10.30	Subacute encephalopathy with seizures in alcoholics (SESA) José L. Fernandez-Torre (Santander, Spain)
10.30 - 11.00	Coffee Break
11.00 - 13.00	Session 5: Status epilepticus in the Developmental and Epileptic Encephalopathie (DEEs) Chairs: Amy McTague (London, United Kingdom), Reetta Kälviainen (Kuopio, Finland)
11.00 - 11.40	Overview of clinical and physiological aspects of status epilepticus in the DEEs Elaine Wirrell (Rochester, United States)
11.40 - 12.20	The occurrence and clinical features of status epilepticus in the channelopathies Elena Gardella (Dianalund, Denmark)
12.20 - 13.00	To what extent does status epilepticus contribute to brain damage in the DEEs Nicola Specchio (Rome, Italy)

13.00 - 14.00	Lunch B	Break and Posters
---------------	---------	-------------------

- **14:00 15:00** Satellite Symposium (for details see page 50)
- 15.00 15.30 Coffee Break

**15.30 - 17.30** Session 6: Modelling of status epilepticus Chairs: Raman Sankar (Los Angeles, United States), Dimitri Kullmann (London, United Kingdom)

- 15.30 16.10 Mammalian models of status epilepticus Wolfgang Löscher (Hannover, Germany)
- 16.10 16.50 Organoids as a model of status epilepticus Gabriele Lignani (London, United Kingdom)
- 16.50 17.30 In silica models of status epilepticus Jonathan Horsley (Newcastle upon Tyne, United Kingdom)
- 19.30 Dinner at Stationer's Hall

14.20 - 15.50	<b>Session 9: Novel treatments of status epilepticus I</b> Chairs: Francesca Bisulli (Bologna, Italy), Mike Rogawski (Sacramento, United States)
14.20 - 15.00	Intraventricular low dose Valproate Mark Cook (Melbourne, Australia)
15.00 - 15.25	KCC2 activation as a mechanism to alleviate status epilepticus and the associated neuronal injury Stephen Moss (Boston, United States)
15.25 - 15.50	Progress in the development of 2DG in status epilepticus Thomas Sutula (Madison, United States)
15.50 - 16.20	Coffee Break
<b>16.20 - 18:00</b>	<b>Session 10: Novel treatments of status epilepticus II</b> Chairs: Dorota Zolkowska (Sacramento, United States), Simon Shorvon (London, United Kingdom)
16:20 - 16.40	Does the ketogenic diet have a role in the treatment of status epilepticus Natasha Schoeler (London, United Kingdom)
16.40 - 17.00	Vigabatrin in post-anoxic status epilepticus Carolina Maciel (Gainesville, United States)
17.00 - 17.20	Clinical Development of an Investigational Neuroactive Steroid in Refractory Status Epilepticus (sponsored talk, for details see page 50) Megan Barra PharmD, FNCS, FCCM
17.20 - 18.00	Non-IV administration of drugs Michael A. Rogawski (Sacramento, United States)
18.00 - 18.15	<b>Closing Remarks</b> Eugen Trinka (Salzburg, Austria) Simon Shorvon (London, United Kingdom) Matthew Walker (London, United Kingdom)

### WEDNESDAY, APRIL 10<sup>TH</sup> 2024

08.50 - 10.50	Session 7: Socio economics and status epilepticus	
	Chairs: Markus Leitinger (Salzburg, Austria	
	Andrew Cole (Boston, United States)	

- 08.50 09.30 The challenges of treating status epilepticus in rural India Gagandeep Singh (Ludhiana, India)
- 09.30 -10.10 The challenges of treatment status epilepticus in rural Canada Marcus Ng (Winnipeg, Canada)
- 10.10 10.50 The social and economic impact of status epilepticus in Europe Adam Strzelczyk (Frankfurt am Main, Germany)
- 10.50 11.20 Coffee Break
- **11.20 13.20** Session 8: Treatment issues in status epilepticus Chairs: Raman Sankar (Los Angeles, United States), Nathan Fountain (Charlottesville, United States)
- 11.20 12.00 Why have drug trials failed in status epilepticus wrong trials or wrong drugs? Hannah Cock (London, United Kingdom)
- 12.00 12.40 Which drugs should be considered for repurposing for use in status epilepticus Matthew Walker (London, United Kingdom)
- 12.40 13.20 Misdiagnosis and mistreatment of autoimmune encephalitis in the context of status epilepticus Sarosh Irani (Jacksonville, United States)
- 13.20 14.20 Lunch Break and Posters

Bartolomei, Fabrice, Prof. Aix Marseille University

Marseille, France

**Bisulli, Francesca, Prof.** University of Bologna Bologna, Italy

Bleck, Thomas, Prof. Northwestern University Department of Neurology Chicago, United States

Bosque-Varela, Pilar, Dr. Universitätsklinikum Salzburg / Christian-Doppler-Klinik Salzburg, Austria

**Cock, Hannah, Prof.** St George's University of London London, United Kingdom

**Cole, Andrew, Prof.** Harvard Medical School Department of Neurology Boston, United States

**Cook, Mark, Prof.** The University of Melbourne Department of Medicine, SVHM Melbourne, Australia

**Cross, Helen, Prof.** University College London Great Ormond Street Institute of Child Health London, United Kingdom

Fernandez-Torre, José L., Prof. Marqués de Valdecilla University Hospital Department of Clinical Neurophysiology Santander, Spain Fountain, Nathan, Dr. University of Virginia Charlottesville, United States

Gardella, Elena, Prof. Danish Epilepsy Centre Department of Clinical Neurofysiology | Department of Genetic Epilepsy and Personalized Medicine Dianalund, Denmark

Haider, Hiba, Dr. University of Chicago Department of Neurology Chicago, United States

Hocker, Sara, Prof. Saint Luke's Health System Kansas City, United States

Horsley, Jonathan Newcastle University Newcastle upon Tyne, United Kingdom

Irani, Sarosh, Dr. Mayo Clinic Department of Neurology Jacksonville, United States

Kälviäinen, Reetta, Prof. University of Eastern Finland Department of Neurology Kuopio, Finland

Kämppi, Leena, MD, PhD Helsinki University Hospital, HUS Department of Neurology Helsinki, Finland

Kullmann, Dimitri, Prof. University College London UCL Queen Square Institute of Neurology London, United Kingdom

#### Leitinger, Markus, Dr.

Universitätsklinikum Salzburg / Christian-Doppler-Klinik Salzburg, Austria

#### Lignani, Gabriele, Prof.

University College London UCL Queen Square Institute of Neurology London, United Kingdom

#### Löscher, Wolfgang, Prof.

Hannover Medical School Translational Neuropharmacology, NIFE, Department of Experimental Otology Hannover, Germany

#### Lowenstein, Daniel, Dr.

University of California Department of Neurology San Francisco, United States

#### Maciel, Carolina, Dr.

University of Florida Department of Neurology Gainesville, United States

### McTague, Amy, Dr.

University College London Department of Developmental Neurosciences London, United Kingdom

#### Meletti, Stefano, Prof.

University of Modena and Reggio-Emilia Department of Neuroscience Modena, Italy

#### Moss, Stephen, Prof.

Tufts University Medical School Department of Neuroscience Boston, United States Mula, Marco, Dr. St George's University Hospital London, United Kingdom

#### Neligan, Aidan, Dr. University College London London, United Kingdom

Ng, Marcus, Dr.

University of Manitoba Winnipeg, Canada

### Pressler, Ronit, Dr.

Great Ormond Street Hospital for Children, Department of Clinical Neurophysiology London, United Kingdom

### Richardson, Mark, Prof.

King's College London School of Neuroscience London, United Kingdom

#### Rogawski, Michael A., Dr.

University of California Davis School of Medicine Department of Neurology Sacramento, United States

#### Rogers, Jonathan, Dr.

University College London Division of Psychiatry London, United Kingdom

#### Sankar, Raman, Prof.

David Geffen School of Medicine at UCLA Departments of Neurology and Pediatrics Los Angeles, United States

### LIST OF FACULTY

Schoeler, Natasha, Dr. University College London Great Ormond Street Institute of Child Health London, United Kingdom

Shorvon, Simon, Prof. National Hospital for Neurology and Neurosurgery London, United Kingdom

Singh, Gagandeep, Prof. Dayanand Medical College & Hospital Department of Neurology Ludhiana, India

**Specchio, Nicola, Dr.** Bambino Gesu' Children's Hospital, Irccs Rome, Italy

**Strzelczyk, Adam, Prof.** Goethe-University Frankfurt Epilepsy Center Frankfurt Rhine-Main Frankfurt am Main, Germany

Sutula, Thomas, Prof. University of Wisconsin-Madison Department of Neurology Madison, United States

Taubøll, Erik, Prof. Oslo University Hospital – Rikshospitalet Oslo, Norway

Trinka, Eugen, Prof. Universitätsklinikum Salzburg / Christian-Doppler-Klinik Salzburg, Austria Walker, Matthew, Prof. University College London UCL Queen Square Institute of Neurology London, United Kingdom

Wirrell, Elaine, Dr. Mayo Clinic Department of Child and Adolescent Neurology and Epilepsy Rochester, United States

#### Zolkowska, Dorota, Dr.

University of California Davis School of Medicine Department of Neurology Sacramento, United States

Stiripentol efficacy against status epilepticus in a preclinical model

<u>Alexandre Bacq</u><sup>1</sup>, Peggy Cloarec<sup>1</sup>, Clara Lesueur<sup>1</sup>, Philippe Girard<sup>1</sup>, Vincent Castagné

<sup>1</sup>Biocodex, Compiegne, France

### P02

The default EEG reactivity to photic stimulation is increased in the sedated epileptic brain

<u>Alexandru Călin</u><sup>1</sup>, Alexandru Pâslaru<sup>2</sup>, Vlad-Petru Morozan<sup>2</sup>, Mihai Stancu<sup>3</sup>, Ana-Maria Zăgrean<sup>2</sup>, Leon Zăgrean<sup>2</sup>, Mihai Moldovan<sup>24,5</sup>

<sup>1</sup>King's College Hospital NHS Foundation Trust, Department of Clinical Neurophysiology, London, United Kingdom, <sup>2</sup>Carol Davila University of Medicine and Pharmacy, Department of Functional Sciences, Division of Physiology, Bucharest, Romania, <sup>3</sup>Ludwig-Maximilian University, Department of Neurobiology, Munich, Germany, <sup>4</sup>University of Copenhagen, Neuroscience, Copenhagen, Denmark, <sup>5</sup>Rigshospitalet, Department of Neurology, Copenhagen, Denmark

### **P03**

A meta-analysis of single-cell RNA sequencing data predicts cell-type-specific differences in intracellular chloride regulating mechanisms

<u>Alexandru Călin<sup>1,2</sup>, Richard Burman<sup>2</sup>, Colin J Akerman<sup>2</sup></u>

<sup>1</sup>Department of Clinical Neurophysiology, King's College Hospital, London, United Kingdom, <sup>2</sup>Department of Pharmacology, University of Oxford, Oxford, United Kingdom



Pathophysiological mechanisms underlying New-Onset RefractoryStatusEpilepticus(NORSE)onsetandconsequences: cytokine and single-cell transcriptomic analyses

<u>Aurelie Hanin<sup>1,2</sup></u>, Jorge Cespedes<sup>1</sup>, Le Zhang<sup>1</sup>, Karim Dorgham<sup>3</sup>, Margaret Gopaul<sup>1</sup>, Guy Gorochov<sup>3</sup>, David Hafler<sup>1</sup>, Vincent Navarro<sup>2</sup>, Nicolas Gaspard<sup>1,4</sup>, Lawrence Hirsch<sup>1</sup>

<sup>1</sup>Yale School of Medicine - Dept of Neurology, New Haven, United States, <sup>2</sup>Institut du Cerveau - Pitie Salpetriere Hospital - Dept of Neurology, Paris, France, <sup>3</sup>Pitie Salpetriere Hospital - Dept of Immunology, Paris, France, <sup>4</sup>Universite Libre de Bruxelles - Dept of Neurology, Bruxelles, Belgium



#### The Interplay of Epilepsy and Gasotransmission: A Multilevel Analysis of Experimentally Induced Seizures in the Rat Model

#### <u>Szymon Kantor</u><sup>1,3</sup>, Zuzanna Setkowicz<sup>1</sup>, Agnieszka Drzał<sup>2</sup>, Martyna Elas<sup>2</sup>, Krzysztof Janeczko<sup>1</sup>

<sup>1</sup>Jagiellonian University, Institute of Zoology and Biomedical Research, Laboratory of Experimental Neuropathology, Kraków, Poland, <sup>2</sup>Jagiellonian University, Faculty of Biochemistry, Biophysics and Biotechnology, Department of Biophysics and Cancer Biology, Kraków, Poland, <sup>3</sup>Jagiellonian University, Doctoral School of Exact and Natural Sciences, Kraków, Poland



Epileptogenic changes after traumatic brain injury in the perilesional area and hippocampus partially reduced by ketogenic diet application in adolescent rats

#### Zuzanna Rauk<sup>1,2</sup>, Gabriela Hatala<sup>2</sup>, Zuzanna Setkowicz<sup>2</sup>

<sup>1</sup>Jagiellonian University, Doctoral School of Exact and Natural Sciences, Kraków, Poland, <sup>2</sup>Jagiellonian University, Institute of Zoology and Biomedical Research, Laboratory of Experimental Neuropathology, Kraków, Poland

Intravenous Allopregnanolone Bolus Terminates Benzodiazepine-Resistant Diisopropyl fluorophosphate (DFP)induced Status Epilepticus in Rats After Failed Midazolam Treatment: Novel Translationally-Relevant EEG Analysis Based on Standardized Clinical Criteria.

Dorota Zolkowska<sup>1</sup>, Ashish Dhir<sup>1</sup>, Vishal Harnoor<sup>1</sup>, Shivaani Gajapathy<sup>1</sup>, Alessandra Diaz<sup>1</sup>, Michael A. Rogawski<sup>1,2</sup>

<sup>1</sup>Department of Neurology, School of Medicine, University of California, Davis, Sacramento, CA, United States, <sup>2</sup>Department of Pharmacology, School of Medicine, University of California, Davis, Sacramento, CA, United States

**P08** 

Time to diagnosis and treatment in NCSE: data from the STatus Epilepticus Project in Emilia-Romagna (STEPPER)

<u>Margherita Burani</u><sup>1,2</sup>, Niccolò Orlandi<sup>1,2</sup>, Giada Giovannini<sup>2</sup>, Lidia Di Vito<sup>3</sup>, Dr. Paolo Tinuper<sup>3</sup>, Roberto Michelucci<sup>3</sup>, Francesca Bisulli<sup>3</sup>, Luca Vignatelli<sup>4</sup>, Stefano Meletti<sup>1,2</sup>

<sup>1</sup>Department of Biomedical, Metabolic and Neural Sciences, Center for Neuroscience and Neurotechnology, University of Modena and Reggio Emilia, Modena, Italy, <sup>2</sup>Neurology department, OCB Hospital, AOU Modena, Modena, Italy, <sup>3</sup>IRCCS-Istituto delle Scienze Neurologiche di Bologna, Unit of Neurology, Bellaria Hospital, Bologna, Italy, <sup>4</sup>Bologna Institute of Neurological Sciences, Scientific Institute for Research and Health Care, Bologna, Italy

**P0**9

Electroclinical features of non-anoxic myoclonic status epilepticus in adults

Audrey Cambier<sup>1</sup>, Charlotte Damien<sup>1,2</sup>, Nicolas Gaspard<sup>1,2,3</sup>

<sup>1</sup>Department of Neurology, Hôpital Universitaire de Bruxelles, Hôpital Erasme, Bruxelles, Belgium, <sup>2</sup>Laboratory of Experimental Neurology, Université Libre de Bruxelles, Bruxelles, Belgium, <sup>3</sup>Neurology Department, Yale University School of Medicine, New Haven, CT, USA Periodic patterns characteristics in patients with brain tumor and their association with status epilepticus (SE): a retrospective study.

<u>Stefano Consoli</u><sup>1</sup>, Fedele Dono<sup>1</sup>, Giacomo Evangelista<sup>1</sup>, Clarissa Corniello<sup>1</sup>, Sara Cipollone<sup>1</sup>, Sibilla De Angelis<sup>1</sup>, Davide Liviello<sup>1</sup>, Paolo Quintieri<sup>1</sup>, Stefano L. Sensi<sup>1,2,3</sup>

<sup>1</sup>University "G. D'annunzio" Of Chieti-Pescara, Italy, Chieti-Pescara, Italy, <sup>2</sup>Behavioral Neurology and Molecular Neurology Units, Center for Advanced Studies and Technology - CAST, Chieti-Pescara, Italy, <sup>3</sup>Institute for Mind Impairments and Neurological Disorders - iMIND, University of California, Irvine, USA

P11

## Optimizing EEG monitoring in critically ill children at risk for electroencephalographic seizures

Kyle Coleman<sup>2</sup>, <u>France Fung</u><sup>1</sup>, Alexis Topjian<sup>3</sup>, Nicholas Abend<sup>13,4</sup>, Rui Xiao<sup>2,4</sup>

<sup>1</sup>University of Pennsylvania Dept of Neurology and Pediatrics, Philadelphia, United States, <sup>2</sup>University of Pennsylvania Dept of Biostatitics, Epidemiology and Informatics, Philadelphia, United States, <sup>3</sup>University of Pennsylvania Dept of Anesthesia and Critical Care, Philadelphia, United States, <sup>4</sup>University of Pennsylvania Center for Clinical Epidemiology and Biostatistics, Philadelphia, United States

### P12

Frequency of epileptiform discharges matters: Prognostic significance of EEG patterns in a large prospective cohort of patients with status epilepticus

Pilar Bosque Varela<sup>1</sup>, Lukas Machegger<sup>2</sup>, Tanja Prüwasser<sup>13</sup>, Jürgen Steinbacher<sup>2</sup>, Andreas Oellerer<sup>2</sup>, Georg Zimmermann<sup>3,4,5</sup>, Johannes Pfaff<sup>2</sup>, Mark McCoy<sup>1,6</sup>, Eugen Trinka<sup>1,6,7</sup>, <u>Giorgi Kuchukhidze<sup>1,6</sup></u>

<sup>1</sup>Department of Neurology, Christian Doppler University Hospital, Paracelsus Medical University, Salzburg, Austria, <sup>2</sup>Department of Neuroradiology, Christian Doppler University Hospital, Paracelsus Medical University, Salzburg, Austria, <sup>3</sup>Department of Mathematics, Paris-Lodron University, Salzburg, Austria, <sup>4</sup>Team Biostatistics and Big Medical Data, IDA Lab Salzburg, Paracelsus Medical University, Salzburg, Austria, <sup>5</sup>Research and Innovation Management, Paracelsus Medical University, Salzburg, Austria, <sup>6</sup>Neuroscience Institute, Christian Doppler University Hospital, Salzburg, Austria, <sup>7</sup>Karl Landsteiner Institute for Neurorehabilitation and Space Neurology, Salzburg, Austria

### P13

Pragmatic computerized perfusion diagnostics for nonconvulsive status epilepticus: a prospective observational study

<u>Elena Merli</u><sup>1</sup>, Michele Romoli<sup>2</sup>, Simone Galluzzo<sup>1</sup>, Stefania Testoni<sup>1</sup>, Anna Zaniboni<sup>1</sup>, Luigi Simonetti<sup>1</sup>, Sara Contardi<sup>1</sup>, Andrea Zini<sup>1</sup>

<sup>1</sup>IRCCS Istituto Delle Scienze Neurologiche Di Bologna, Bologna, Italy, <sup>2</sup>Neurology and Stroke Unit, Department of Neuroscience, Bufalini Hospital, Cesena, Italy

### P14

Are acute symptomatic seizures solitary events? An analysis using continuous EEG monitoring.

Vineet Punia<sup>1</sup>, MarieElena Byrnes

<sup>1</sup>Cleveland Clinic, Cleveland, United States

### P15

Being 'SMART': identifying nonconvulsive status epilepticus in stroke like migraine attacks after radiation therapy

Munni Ray<sup>1</sup>, Sarah Bower<sup>1</sup>, Marta Mulas<sup>1</sup>, Sam Fairclough<sup>2</sup>, Agam Jung<sup>2</sup>

<sup>1</sup>Department of Neurophysiology, Leeds Teaching Hospitals NHS Trust, Leeds, United Kingdom, <sup>2</sup>Department of Neurology, Leeds Teaching Hospitals NHS Trust, Leeds, United Kingdom

### P16

Interesting serial repeated routine EEG findings in 3 cases of subacute encephalopathy with seizures in alcoholics (SESA) syndrome.

<u>Munni Ray</u><sup>1</sup>, Angelika Lunanova<sup>1</sup>, Sarah Bower<sup>1</sup>, Kara Farrar<sup>1</sup>, Joanne Jacinto<sup>1</sup>, Clair Lodge<sup>1</sup>

<sup>1</sup>Department of Neurophysiology, Leeds Teaching Hospitals NHS Trust, Leeds, United Kingdom

### P17

Oculoclonic status epilepticus with ictal-interictal continuum in the EEG

Danika Simshäuser<sup>1</sup>, Yogesh P. Shah, Johannes Rösche

<sup>1</sup>Hardtwaldklinik <sup>1</sup>, Bad Zwesten, Germany



Automatic detection of electrographic status epilepticus based on seizure burden estimation in critically ill patients

<u>Hannes Stegmann</u><sup>1</sup>, Johannes Koren<sup>2,3</sup>, Robert Fisher<sup>4</sup>, Clemens Lang<sup>2,3</sup>, Christopher Primiani<sup>4</sup>, Christoph Baumgartner<sup>2,3,5</sup>, Tilmann Kluge<sup>1</sup>, Manfred Hartmann<sup>1</sup>

<sup>1</sup>Center for Health & Bioresources, AIT Austrian Institute of Technology GmbH, Vienna, Austria, <sup>2</sup>Department of Neurology, Clinic Hietzing, Vienna, Austria, <sup>3</sup>Karl Landsteiner Institute for Clinical Epilepsy Research and Cognitive Neurology, Vienna, Austria, <sup>4</sup>Department of Neurology and Neurological Sciences, Stanford University, Palo Alto, California, USA, <sup>5</sup>Medical Faculty, Sigmund Freud University, Vienna, Austria

The role of EEG in post cardiac arrest neuroprognostication: How are we doing? A snapshot audit of the King's College Hospital NHS Trust neuroprognostication protocol 10 years after implementation

<u>Masumi Tanaka Gutiez</u><sup>1</sup>, Giulia Attard Navarro<sup>2</sup>, Priyanka Jain<sup>1</sup>, Carmen López Soto<sup>1</sup>, Franz Brunnhuber<sup>1</sup>

 $^{1}\mbox{King}\mbox{s}$  College Hospital, London, United Kingdom,  $^{2}\mbox{Addenbrooke}\mbox{s}$  Hospital, Cambridge, UK

### P20

Continuous EEG monitoring using reduced electrode array and instant messaging in neuro-ICU: experience in a UK tertiary centre

<u>Rachel Todd</u><sup>1</sup>, Tim Fudge<sup>2</sup>, Nick Coffin<sup>2</sup>, Joseph Perumpillichira<sup>1</sup>, Kate Bailey<sup>2</sup>, Justin Roberts<sup>2</sup>, Ronan MacDonagh<sup>3</sup>, Rajiv Mohanraj<sup>1</sup>

<sup>1</sup>Department of Neurology, Manchester Centre for Clinical Neurosciences, Manchester, United Kingdom, <sup>2</sup>Department of Neuro-intensive Care, Salford Royal Hospital, Manchester, United Kingdom, <sup>3</sup>Department of Neurophysiology, Manchester Centre for Clinical Neurosciences, Manchester, United Kingdom



Sensitivity and specificity of the Salzburg EEG criteria for nonconvulsive status epilepticus

Line Bédos Ulvin<sup>1,2</sup>, Kristian Bernhard Nilsen<sup>1</sup>, Erik Taubøll<sup>2,3</sup>, Lars Etholm<sup>4</sup>, Kjell Heuser<sup>3</sup>

<sup>1</sup>Clinical Neurophysiology, Department of Neurology, Oslo University Hospital, Oslo, Norway, <sup>2</sup>Institute of Clinical Medicine, University of Oslo, Oslo, Norway, <sup>3</sup>Department of Neurology, Oslo University Hospital, Oslo, Norway, <sup>4</sup>Clinical Neurophysiology, Department of Neurosurgery, Oslo University Hospital, Oslo, Norway



Status Epilepticus in Patients with Refractory Cardiac Arrest supported by Extracorporeal Cardiopulmonary Resuscitation (ECPR) and Associated Factors

Laura Abraira Del Fresno<sup>1,2</sup>, Carmen Montalvo<sup>1</sup>, Manuel Quintana<sup>1,2</sup>, Daniel Campos-Fernández<sup>1,2</sup>, Maria Vidal<sup>3</sup>, Eduard Argudo<sup>4</sup>, Anna Sanchez-Corral<sup>4</sup>, Maria Sueiras<sup>5,6</sup>, Vanessa Thonon<sup>5,6</sup>, Samuel López-Maza<sup>1,2</sup>, Elena Fonseca<sup>1,2</sup>, Manuel Toledo<sup>1,2</sup>, Estevo Santamarina<sup>1,2</sup>

<sup>1</sup>Epilepsy Unit, Neurology Department, Medicine Department, Universitat Autònoma de Barcelona. Vall d'Hebron University Hospital, Vall d'Hebron Barcelona Hospital Campus, Barcelona, Spain, <sup>2</sup>Research group on Status Epilepticus and Acute Seizures, Vall d'Hebron Research Institute (VHIR), Vall d'Hebron University Hospital, Vall d'Hebron Hospital Campus, Barcelona, Spain, <sup>3</sup>Coronary Care Unit, Cardiology Department, Vall d'Hebron University Hospital, Barcelona, Spain, <sup>4</sup>Intensive Care Department, Vall d'Hebron University Hospital, Barcelona, Spain, <sup>5</sup>Neurophysiology Department. Vall d'Hebron University Hospital, Barcelona, Spain, <sup>6</sup>Neurotraumatology and Neurosurgery Research Unit (UNINN) Vall d'Hebron Research Institute (VHIR), Barcelona, Spain



Repetitive transcranial magnetic stimulation in refractory and super-refractory status epilepticus: A systematic review

<u>Chloé Algoet</u><sup>1</sup>, Paul Boon<sup>1</sup>, Sofie Carrette<sup>1</sup>, Robrecht Raedt<sup>1</sup>, Ann Mertens<sup>1</sup>, Kristl Vonck<sup>1</sup>

<sup>14</sup>BRAIN, Department of Neurology, Ghent University, Ghent, Belgium

A Comparison of IV and Oral Topiramate Pharmacokinetics in Healthy Research Participants, Patients with Migraines, and Patients with Epilepsy with or without Concomitant Enzyme-Inducing Drugs

<u>Adeboye Bamgboye</u><sup>1</sup>, Lisa Coles<sup>2</sup>, Bernard King<sup>3</sup>, Annie Clark<sup>4</sup>, Robert Kriel<sup>5</sup>, Ilo Leppik<sup>6</sup>, James White<sup>7</sup>, Susan Marino<sup>8</sup>, James Cloyd<sup>9</sup>

<sup>1</sup>Experimental and Clinical Pharmacology Graduate Program, College Of Pharmacy, University Of Minnesota, Minneapollis, United States, <sup>2</sup>Depart of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>3</sup>Chief Medical Officer, CURx Pharmaceuticals, San Diego, United States, <sup>4</sup>Head, Clinical Pharmacology, Pliant Therapeutics, South San Francisco, United States, <sup>5</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>6</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>7</sup>Minnesota Epilepsy Group, St. Paul, United States, <sup>8</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>9</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>9</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States, <sup>9</sup>Department of Experimental and Clinical Pharmacology, College of Pharmacy, University of Minnesota, Minneapolis, United States

### P25

Intravenous Ganaxolone in Non-Intubated Patients with Refractory Status Epilepticus: Subanalysis of an Open-label, Dose-finding, Phase 2 Trial

<u>Megan Barra</u><sup>1</sup>, Maciej Gasior<sup>1</sup>, Joseph Hulihan<sup>1</sup>, Henrikas Vaitkevicius<sup>1</sup>, Eva Rybak<sup>1</sup>

<sup>1</sup>Marinus Pharmaceuticals, Radnor, United States



Treatment heterogeneity and high transfer rates in refractory status epilepticus: revealing unmet needs in patient care

<u>Megan Barra</u><sup>1</sup>, Sri Saikumar<sup>2</sup>, Saloni Shah<sup>2</sup>, Dushyant Katariya<sup>2</sup>, Adrienne Lovink<sup>2</sup>, Henrikas Vaitkevicius<sup>1</sup>, Eva Rybak<sup>1</sup>

<sup>1</sup>Marinus Pharmaceuticals, Radnor, United States, <sup>2</sup>Trinity Life Sciences, Waltham, United States

P27

### The Status (Epilepticus) Quo: Associations between Treatment Intensity and Outcomes

<u>Megan Barra</u><sup>1</sup>, Sri Saikumar<sup>2</sup>, Saloni Shah<sup>2</sup>, Dushyant Katariya<sup>2</sup>, Adrienne Lovink<sup>2</sup>, Henrikas Vaitkevicius<sup>1</sup>, Eva Rybak<sup>1</sup>

<sup>1</sup>Marinus Pharmaceuticals, Radnor, United States, <sup>2</sup>Trinity Life Sciences, Waltham, United States



## Dual anti-glutamate therapy in super-refractory status epilepticus after cardiac arrest (SUPER-CAT)

<u>Simone Beretta</u><sup>1</sup>, Matteo Pozzi<sup>2</sup>, Simone Tagliabue<sup>1</sup>, Elisa Bianchi<sup>3</sup>, Francesco Pasini<sup>1</sup>, Angela Giglio<sup>1</sup>, Giulia Sofia Cereda<sup>1</sup>, Marco Normanno<sup>2</sup>, Carlo Morotti Colleoni<sup>1</sup>, Andrea Stabile<sup>1</sup>, Susanna Diamanti<sup>1</sup>, Jacopo Cosimo Di Francesco<sup>1</sup>, Stefania Filipponi<sup>4</sup>, Alessandra Gaiani<sup>4</sup>, Anna Coppo<sup>2</sup>, Leonello Avalli<sup>2</sup>, Carlo Ferrarese<sup>1</sup>, Giuseppe Foti<sup>2</sup>

<sup>1</sup>Department of Neurology, Fondazione IRCCS San Gerardo dei Tintori, University of Milano Bicocca, Monza, Italy, <sup>2</sup>Department of Intensive Care, Fondazione IRCCS San Gerardo dei Tintori, Monza, Italy, <sup>3</sup>Mario Negri Institute for Pharmacological Research IRCCS, Milano, Italy, <sup>4</sup>Department of Neurology, Ospedale Santa Chiara, Trento, Italy

An audit on the adherence to status epilepticus management guidelines in managing adult patients with status epilepticus at St George's university hospital NHS foundation trust

#### Medhini Boteju Welatantrige<sup>1</sup>, Elizabeth Caruana Galizia<sup>2</sup>

<sup>1</sup>Senior clinical fellow in neurology, St George's University Hospital, NHS Foundation Trust, London, United Kingdom, <sup>2</sup>Consultant neurologist, St George's University Hospital, NHS foundation trust, London, United Kingdom



Outcomes and Treatment Approaches for Super-Refractory Status Epilepticus. A Systematic Review and Meta-Analysis

<u>Camilla Dyremose Cornwall</u><sup>1</sup>, Thomas Krøigård<sup>1</sup>, Joachim Sejr Skovbo Kristensen<sup>1</sup>, Henriette Edemann Callesen<sup>2</sup>, Christoph Patrick Beier<sup>1</sup>

<sup>1</sup>Department of Neurology, Odense University Hospital, Odense, Denmark, <sup>2</sup>Metodekonsulent Callesen, Silkeborg, Denmark

P31

Sustained effort network for treatment of status epilepticus/ European Academy of Neurology Registry on adult refractory Status Epilepticus (SENSE-II/AROUSE)

<u>Charlotte Damien</u><sup>1</sup>, Markus Leitinger<sup>2,3</sup>, Christoph Kellinghaus<sup>4</sup>, Adam Strzelczyk<sup>5</sup>, Pia De Stefano<sup>6,7</sup>, Christoph Beier<sup>8</sup>, Raoul Sutter<sup>9,10</sup>, Leena Kämppi<sup>11</sup>, Daniel Strbian<sup>11</sup>, Erik Taubøll<sup>12</sup>, Felix Rosenow<sup>5</sup>, Raimund Helbok<sup>13</sup>, Stephan Rüegg<sup>11</sup>, Maxwell Damian<sup>14</sup>, Eugen Trinka<sup>2,3,15,16</sup>, Nicolas Gaspard<sup>1,17</sup>

<sup>1</sup>HUB Erasme, Brussels, Belgium, <sup>2</sup>Department of Neurology Neurointensive Care and Neurorehabilitation, Christian Doppler University Hospital; Paracelsus Medical University, Centre for Cognitive Neuroscience, Salzburg, Austria, <sup>3</sup>Neuroscience Institute, Department of Neurology, Christian Doppler University Hospital; Paracelsus Medical University, Centre for Cognitive Neuroscience, Salzburg, Austria, <sup>4</sup>Epilepsy Center Münster-Osnabrück, Klinikum Osnabrück, Osnabrück, Germany, <sup>5</sup>Department of Neurology and Epilepsy Center Frankfurt Rhine-

Main, Goethe-University and University Hospital Frankfurt, Frankfurt, Germany, <sup>6</sup>EEG & Epilepsy Unit, Department of Clinical Neurosciences, University Hospital of Geneva, Geneva, Switzerland, 7Neuro-Intensive Care Unit, Department of Intensive Care, University Hospital of Geneva, Geneva, Switzerland, <sup>8</sup>Department of Neurology, Odense University Hospital, Odense, Denmark, 9Department of Neurology, University Hospital Basel, Basel, Switzerland, <sup>10</sup>Intensive Care Units, University Hospital Basel, Basel, Switzerland, "Epilepsia Helsinki, Department of Neurology, Helsinki University Hospital and University of Helsinki, Helsinki, Finland, <sup>12</sup>Department of Neurology, Oslo University Hospital, Oslo, Norway, <sup>13</sup>Department of Neurology, Johannes Kepler University Linz, Linz, Austria, <sup>14</sup>Essex Cardiothoracic Centre, Department of Critical Care, Basildon, United Kingdom, <sup>15</sup>Karl Landsteiner Institute of Neurorehabilitation and Space Neurology, Salzburg, Austria, <sup>16</sup>Department of Public Health, Health Services Research and Health Technology Assessment, UMIT – University for Health Sciences, Medical Informatics and Technology, Hall en Tyrol, Austria, <sup>17</sup>Department of Neurology, Yale University School of Medicine, New Haven, CT, USA



"EPILEPTIC SEIZURE CODE IN MADRID": A process-based care Healthcare Network for the acute management of epileptic seizures

<u>Irene Garcia Morales</u><sup>1,2</sup>, Jose María Serratosa Fernández<sup>3</sup>, Antonio Gil-Nagel<sup>2</sup>, Navid Behzadi Koochani<sup>4</sup>, Cesareo Fernández Alonso<sup>5</sup>, Esther Aleo Lujan<sup>6</sup>, Alfonso Martin Martínez<sup>7</sup>

<sup>1</sup>Epilepsy Unit, Neurology Department, Hospital Clínico San Carlos, Madrid, Spain, <sup>2</sup>Epilepsy Unit, Neurology Department, Hospital Ruber Internacional, Madrid, Spain, <sup>3</sup>Epilepsy Unit, Neurology Department, Fundación Jiménez Díaz, Madrid, Spain, <sup>4</sup>Extra-Hospital Emergency Department SUMMA, Madrid, Spain, <sup>5</sup>Emergency Department, Hospital Clínico Universitario San Carlos, Madrid, Spain, <sup>6</sup>Pediatrict Intensive Care Unit, Hospital Clínico San Carlos, Madrid, Spain, <sup>7</sup>Head Acute Care Programs and Networks Department of Health, Madrid, Spain



Side Effects of Oral High-Dose Anti-Seizure Medication Administration in Convulsive Status Epilepticus: focus on hematology profile

<u>Adrian Ridski Harsono<sup>1,2</sup>, Astri Budikayanti<sup>1</sup>, Winnugroho Wiratman<sup>1,2</sup>,</u> Luh Ari Indrawati<sup>1</sup>, Elang Jordan Ibrahim<sup>1</sup>, Fitri Octaviana<sup>1</sup> <sup>1</sup>Department of Neurology, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia, <sup>2</sup>Universitas Indonesia Hospital, West Java, Indonesia

### P34

Ketogenic diet for treatment of super-refractory status epilepticus or epilepsia partialis continua in an intensive care setting – a single-center experience

<u>Christoph Kellinghaus</u><sup>1</sup>, Helen Stromberg<sup>1</sup>, Volker Schulte<sup>1</sup>, Lisa Langenbruch<sup>1</sup>

<sup>1</sup>Klinikum Osnabrück, Osnabrück, Germany

### P35

Efficacy of delivery of care with Tele-continuous EEG in critically ill patients: A multicenter randomized controlled trial (Tele-cRCT Study) study

<u>Chusak Limotai</u><sup>1</sup>, Oraluck Pattanaprateep<sup>2</sup>, Anuchate Pattanateepapon<sup>2</sup>, Suda Jirasakuldej<sup>3</sup>, Sattawut Wongwiangiunt<sup>4</sup>, Kanokwan Boonyapisit<sup>4</sup>, Tipakorn Tumnark<sup>5</sup>, Piradee Suwanpakdee<sup>6</sup>, Kwuanrat Wangponpattanasiri<sup>7</sup>, Atiporn Ingsathit<sup>2</sup>, Ammarin Thakkinstian<sup>2</sup>

<sup>1</sup>Division of Neurology, Department of Medicine, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand, <sup>2</sup>Section for Clinical Epidemiology and Biostatistics, Faculty of Medicine, Ramathibodi Hospital, Mahidol University, Bangkok, Thailand, <sup>3</sup>Chulalongkorn Comprehensive Epilepsy Center of Excellence, The Thai Red Cross Society, King Chulalongkorn Memorial Hospital, Bangkok, Thailand, <sup>4</sup>Division of Neurology, Department of Medicine, Faculty of Medicine, Siriraj Hospital, Mahidol University, Bangkok, Thailand, <sup>5</sup>National Neurological Institute, Bangkok, Thailand, <sup>6</sup>Division of Neurology, Department of Pediatrics, Phramongkutklao Hospital, Bangkok, Thailand, <sup>7</sup>Division of Neurology, Department of Medicine, Lerdsin Hospital, Bangkok, Thailand

### P36

## Clinical and EEG features associated with failure to wean from anaesthetics in refractory and super-refractory SE

## <u>Eleonora Matteo</u><sup>1,2</sup>, Charlotte Damien<sup>2</sup>, Nathan Torcida Sedano<sup>2</sup>, Nicolas Gaspard<sup>2,3</sup>

<sup>1</sup>Department of Biomedical and Neuromotor Sciences, University of Bologna, Bologna, Italy, <sup>2</sup>Service de Neurologie, Hôpital Universitaire de Bruxelles, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium, <sup>3</sup>Neurology Department, Yale University School of Medicine, New Haven, USA



## Stiripentol for the treatment of super-refractory status epilepticusa

Leona Möller<sup>1</sup>, Clara Jünemann<sup>1</sup>, Susanne Knake<sup>1</sup>

<sup>1</sup>University Hospital Marburg/ Epilepsy Center Hesse, Marburg, Germany



## Effectiveness and safety of Perampanel in the treatment of Status Epilepticus: A single-center retrospective study.

<u>Niccolò Orlandi</u><sup>1</sup>, Giada Giovannini<sup>2</sup>, Niccolò Biagioli<sup>1</sup>, Laura Madrassi<sup>1</sup>, Simona Scolastico<sup>1</sup>, Margherita Burani<sup>1</sup>, Lisa Taruffi<sup>1</sup>, Maria Cristina Cioclu<sup>1</sup>, Matteo Pugnaghi<sup>2</sup>, Anna Elisabetta Vaudano<sup>2</sup>, Stefano Meletti<sup>2</sup>

<sup>1</sup>Department of Biomedical, Metabolic and Neural Sciences, University of Modena and Reggio Emilia, Modena, Italy, <sup>2</sup>Neurology Unit, Ospedale Civile, Azienda Ospedaliera-Universitaria di Modena, Modena, Italy

Evaluation of an antiepileptogenic effect of eslicarbazepine acetate in stroke patients at high-risk of developing post-stroke epilepsy: results from an exploratory randomised, doubleblind, placebo-controlled Phase II anti-epileptogenesis study

Joana Moreira<sup>1</sup>, Eugen Trinka<sup>2,3,4</sup>, <u>Matthias J. Koepp<sup>5,6</sup></u>, Yee-Haur Mah<sup>7,8</sup>, Gian Luigi Gigli<sup>9</sup>, Luis M. Magalhães<sup>10</sup>, Guillermo Castilla-Fernández<sup>10</sup>, Valentina Di Foggia<sup>1</sup>, Joerg Holenz<sup>1</sup>

<sup>1</sup>Bial – Portela & C<sup>a</sup>, S.A, Coronado, Portugal, <sup>2</sup>Department of Neurology, Christian-Doppler University Hospital, Paracelsus Medical University, Centre for Cognitive Neuroscience, Member of EpiCARE, Salzburg, Austria, <sup>3</sup>Neuroscience Institute, Christian-Doppler University Hospital, Paracelsus Medical University, Centre for Cognitive Neuroscience, Salzburg, Austria, <sup>4</sup>Institute of Public Health, Medical Decision-Making and HTA, UMIT – Private University for Health Sciences, Medical Informatics and Technology, Hall in Tyrol, Austria, <sup>5</sup>UCL Queen Square Institute of Neurology, London, United Kingdom, <sup>6</sup>National Hospital for Neurology and Neurosurgery, London, United Kingdom, <sup>7</sup>King's College Hospital NHS Foundation Trust, London, United Kingdom, <sup>8</sup>School of Biomedical Engineering and Imaging Sciences, King's College London, London, UK, <sup>9</sup>Clinical Neurology Unit, Department of Medicine (DMED), University of Udine, Udine, Italy, <sup>10</sup>Bial – R&D Investments, S.A., Coronado, Portugal

### P40

Efficacy and Safety of Stiripentol in the Prevention and Cessation of Status Epilepticus: A Systematic Review

## Eugen Trinka<sup>1</sup>, Nicola Specchio<sup>2</sup>, Stéphane Auvin<sup>3</sup>, <u>Adam Strzelczyk</u><sup>4</sup>, Francesco Brigo<sup>5</sup>, Vincente Villanueva<sup>6</sup>

<sup>1</sup>Department of Neurology, Christian-Doppler University Hospital, Paracelsus Medical University, Centre for Cognitive Neuroscience, Member of EpiCARE, Salzburg, Austria, <sup>2</sup>Neurology, Epilepsy and Movement Disorders Unit, Bambino Gesù Children's Hospital, IRCCS, Full Member of European Reference Network on Rare and Complex Epilepsies, EpiCARE, Rome, Italy, <sup>3</sup>APHP, Robert Debré University Hospital, Pediatric Neurology Department, CRMR epilepsies rares, Member of European Reference Network EpiCARE, Paris, France, <sup>4</sup>Goethe-University Frankfurt, Epilepsy Center Frankfurt Rhine-Main, Department of Neurology, University Hospital Frankfurt, Frankfurt am Main, Germany, <sup>5</sup>Department of Neurology, Hospital of Merano (SABES-ASDAA), Merano, Italy, <sup>6</sup>Refractory Epilepsy Unit. Neurology Service. Hospital Universitario y Politécnico La Fe, Valencia, Spain. Member of ERN Epicare, Valencia, Spain

### P41

Case Report: Super Refractory Status Epilepticus Improved after Emergency Use of Ganaxolone

Jody Manners<sup>1</sup>, Emily Jusuf<sup>1</sup>, Gunjan Y. Parikh<sup>1</sup>, Maciej Gasior<sup>2</sup>, <u>Henrikas Vaitkevicius</u><sup>2</sup>, Nicholas A. Morris<sup>1</sup>

<sup>1</sup>Division of Neurocritical Care and Emergency Neurology, University of Maryland School of Medicine, Baltimore, United States, <sup>2</sup>Marinus Pharmaceuticals, Inc., Radnor, United States



Burden of Status Epilepticus: prognosis and cost driving factors, insight from a nationwide retrospective cohort study of the French health insurance database (SNDS).

<u>Quentin Calonge</u><sup>1</sup>, François Le Gac<sup>2</sup>, Mario Chavez<sup>2</sup>, Adeline Degremont<sup>3</sup>, Catherine Quantin<sup>4</sup>, Florence Tubach<sup>5</sup>, Sophie Tezenas du montcel<sup>6</sup>, Vincent Navarro<sup>1</sup>

<sup>1</sup>Sorbonne Université, Paris Brain Institute – Institut du Cerveau, ICM, INSERM, CNRS, Pitié-Salpêtrière Hospital, AP-HP, Epilepsy Unit, Pitié-Salpêtrière Hospital, DMU Neurosciences, AP-HP, Center of Reference for Rare Epilepsies, Pitié-Salpêtrière Hospital, Paris, France, <sup>2</sup>Sorbonne Université, Paris Brain Institute – Institut du Cerveau, ICM, INSERM, CNRS, Pitié-Salpêtrière Hospital, Paris, France, <sup>3</sup>Pharmacovigilance, Pharmacoepidemiology and Drug Information Centre, Department of Clinical Pharmacology, CHU de Rennes; Univ Rennes, Irset (Institut de recherche en santé, environnement et travail) - UMR\_S 1085, F-35000, Rennes, France, <sup>4</sup>Service de Biostatistiques et d'Information Médicale (DIM) ; CHU Dijon Bourgogne, INSERM, Université de Bourgogne, CIC 1432, Module Épidémiologie Clinique, Dijon, France, <sup>5</sup>Sorbonne Université, INSERM, Institut Pierre Louis d'Epidémiologie et de Santé Publique, AP-HP, Hôpital Pitié Salpêtrière, Département de Santé Publique, Centre de Pharmacoépidémiologie (Cephepi), Paris, France, <sup>6</sup>Sorbonne Université, Institut du Cerveau, Paris Brain Institute, ICM, CNRS, Inria, Inserm, AP HP, Paris, France

Temporal changes of the impact of established prognostic factors during the first 1000 days after status epilepticus

<u>Camilla Dyremose Cornwall</u><sup>1</sup>, Simon Bang Kristensen<sup>2</sup>, Lars Egil Roberg<sup>1</sup>, Olav Monsson<sup>1</sup>, Adam Strzelczyk<sup>3</sup>, Felix Rosenow<sup>3</sup>, Susanne Knake<sup>4</sup>, Line Bedos Ulvin<sup>5</sup>, Kjell Heuser<sup>5</sup>, Erik Taubøll<sup>5</sup>, Christoph Patrick Beier<sup>1</sup>

<sup>1</sup>Department of Neurology, Odense University Hospital, Odense, Denmark, <sup>2</sup>Department of Public Health, Aarhus University Hospital, Aarhus, Denmark, <sup>3</sup>Epilepsy Center Frankfurt Rhine-Main and Department of Neurology, Goethe-University, Frankfurt, Frankfurt am Main, Germany, <sup>4</sup>Epilepsy Center Hessen and Department of Neurology, Phillips-University, Marburg, Marburg, Germany, <sup>5</sup>Department of Neurology, Oslo University Hospital, Oslo, Norway

### P44

Features affecting treatment decisions and outcome in refractory Status Epilepticus

<u>Charlotte Damien</u><sup>1,2</sup>, Nathan Torcida<sup>1,2</sup>, Chantal Depondt<sup>1,2</sup>, Benjamin Legros<sup>1</sup>, Nicolas Gaspard<sup>1,2,3</sup>

<sup>1</sup>HUB Erasme, Brussels, Belgium, <sup>2</sup>Laboratory of Experimental Neurology, Université Libre de Bruxelles, Brussels, Belgium, <sup>3</sup>Neurology Department, Yale University School of Medicine, New Haven, CT, USA

### P45

Comparison of scores' performance to predict outcome in Status Epilepticus

<u>Charlotte Damien<sup>1,2</sup></u>, Nathan Torcida<sup>1,2</sup>, Chantal Depondt<sup>1,2</sup>, Nicolas Gaspard<sup>1,2,3</sup>

<sup>1</sup>HUB Erasme, Brussels, Belgium, <sup>2</sup>Laboratory of Experimental Neurology, Université Libre de Bruxelles, Brussels, Belgium, <sup>3</sup>Neurology Department, Yale University School of Medicine, New Haven, CT, USA



The importance of time course in the prognosis of status epilepticus in adults

<u>Irene García Morales</u><sup>1</sup>, Estevo Santamarina<sup>2</sup>, Beatriz Parejo Carbonell<sup>1</sup>, Daniel Campos Fernández<sup>2</sup>, Clara Lastras Fernández-Escandón<sup>1</sup>, Manuel Quintana<sup>2</sup>, María Romeral Jiménez<sup>1</sup>, Laura Abraira del Fresno<sup>2</sup>, Pablo Mayo Rodriguez<sup>1</sup>

<sup>1</sup>Hospital Universitario Clínico San Carlos, Madrid, Spain, <sup>2</sup>Hospital Universitari Vall d'Hebron, Barcelona, Spain

P47

Gender differences in Status Epilepticus: a 9-year single center analysis on short and long term outcome

<u>Giada Giovannini</u><sup>1</sup>, Niccolò Orlandi<sup>1,2</sup>, Matteo Pugnaghi<sup>1</sup>, Anna Elisabetta Vaudano<sup>1,2</sup>, Stefano Meletti<sup>1,2</sup>

<sup>1</sup>Unit of Neurology, OCB Hospital, AOU, Modena, Italy, <sup>2</sup>Department of Biomedical, Metabolic and Neural Sciences; Center for Neuroscience and Neurotechnology, University of Modena and Reggio Emilia, Modena, Italy



Impact of seizure onset area on a short-term mortality in status epilepticus: A prospective study with focus on frontal lobe status epilepticus

<u>Giorgi Kuchukhidze<sup>1,2</sup>, Pilar Bosque Varela<sup>1</sup>, Lukas Machegger<sup>3</sup>,</u> Tanja Prüwasser<sup>1,4</sup>, Jürgen Steinbacher<sup>3</sup>, Andreas Oellerer<sup>3</sup>, Georg Zimmermann<sup>4,5,6</sup>, Johannes Pfaff<sup>3</sup>, Mark McCoy<sup>1,2</sup>, Eugen Trinka<sup>1,2,7</sup>

<sup>1</sup>Department of Neurology, Christian Doppler University Hospital, Paracelsus Medical University, Salzburg, Austria, <sup>2</sup>Neuroscience Institute, Christian Doppler University Hospital, Salzburg, Austria, <sup>3</sup>Department of Neuroradiology, Christian Doppler University Hospital, Paracelsus Medical University, Salzburg, Austria, <sup>4</sup>Department of Mathematics, Paris-Lodron University, Salzburg, Austria, <sup>5</sup>Team Biostatistics and Big Medical Data, IDA Lab Salzburg, Paracelsus Medical University, Salzburg, Austria, <sup>6</sup>Research and Innovation Management, Paracelsus Medical University, Salzburg, Austria, <sup>7</sup>Karl Landsteiner Institute for Neurorehabilitation and Space Neurology, Salzburg, Austria

### P49

Prognostic value of Salzburg nonconvulsive status epilepticus criteria: The SACE score

<u>Francesco Misirocchi</u><sup>1</sup>, Alessandro Zilioli<sup>1</sup>, Carlotta Mutti<sup>1</sup>, Lucia Zinno<sup>1</sup>, Liborio Parrino<sup>1</sup>, Pia De Stefano<sup>2,3</sup>, Irene Florindo<sup>1</sup>

<sup>1</sup>Unversiry of Parma, Parma, Italy, <sup>2</sup>Neuro-Intensive Care Unit, Department of Intensive Care, University Hospital of Geneva, Geneva, Switzerland, <sup>3</sup>EEG and Epilepsy Unit, Department of Clinical Neurosciences, University Hospital of Geneva, Geneva, Switzerland

### P50

Neuron-specific enolase in status epilepticus versus generalized periodic discharges after cardiac arrest: different prognosis, different treatment (NEXT-CAT)

Carlo Morotti Colleoni<sup>1</sup>, Matteo Pozzi<sup>2</sup>, Simone Tagliabue<sup>1</sup>,

Elisa Bianchi<sup>3</sup>, Marco Normanno<sup>2</sup>, Francesco Pasini<sup>1</sup>, Giulia Cereda<sup>1</sup>, Angela Giglio<sup>1</sup>, Andrea Stabile<sup>1</sup>, Susanna Diamanti<sup>1</sup>, Giulia Pederzoli<sup>1</sup>, Valentina Piazza<sup>2</sup>, Rosa Fracchia<sup>2</sup>, Ilaria Mariani<sup>2</sup>, Jacopo Cosimo Di Francesco<sup>1</sup>, Lorenzo Stanzani<sup>1</sup>, Anna Coppo<sup>1</sup>, Leonello Avalli<sup>2</sup>, Carlo Ferrarese<sup>1</sup>, Giuseppe Foti<sup>2</sup>, Simone Beretta<sup>1</sup>

<sup>1</sup>Department of Neurology, Fondazione IRCCS San Gerardo dei Tintori, University of Milano-Bicocca, Monza, Italy, <sup>2</sup>Department of Intensive Care, Fondazione IRCCS San Gerardo dei Tintori, Monza, Italy, <sup>3</sup>Mario Negri Institute for Pharmacological Research IRCCS, Milano, Italy



Exploring novel biomarkers and their impact on long-term outcomes in Status Epilepticus (SE)

<u>Estevo Santamarina</u><sup>1</sup>, Daniel Campos-Fernández<sup>1</sup>, Laura Abraira<sup>1</sup>, Manuel Quintana<sup>1</sup>, Anna Penalba<sup>1</sup>, Elena Fonseca<sup>1</sup>, Sofia Lallana<sup>1</sup>, Samuel López-Maza<sup>1</sup>, Manuel Toledo<sup>1</sup>

<sup>1</sup>Hospital Vall Hebron, Barcelona, Spain



Breaks the Dilemma: A Prediction Tool for Seizures in Critically ill Patients

#### Totsapol Surawattanawong<sup>1,2</sup>, Chusak Limotai<sup>1,2</sup>

<sup>1</sup>Chulalongkorn Comprehensive Epilepsy Center of Excellence (CCEC), King Chulalongkorn Memorial Hospital, The Thai Red Cross Society, Bangkok, Thailand, <sup>2</sup>Division of Neurology, Department of Medicine, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand



Epilepsy or neurodegeneration? Non-convulsive Status Epilepticus Vs fluctuating cognition in Lewy Body dementia

<u>Lisa Taruffi</u><sup>1</sup>, Giada Giovannini<sup>2</sup>, Niccolò Orlandi<sup>2</sup>, Matteo Pugnaghi<sup>2</sup>, Giulia Saccardin<sup>1</sup>, Margherita Burani<sup>1</sup>, Anna Elisabetta Vaudano<sup>1</sup>, Stefano Meletti<sup>1</sup>

<sup>1</sup>Department of Biomedical, Metabolic and Neural Science, Center for Neuroscience and Neurotechnology, University of Modena and Reggio Emilia, Modena, Italy, <sup>2</sup>Neurology Unit, OCB Hospital, Azienda Ospedaliera-Universitaria Di Modena, Modena, Italy

#### Acute seizures in neonates and infants during EEG-ECMO

Zaloa Agirre-Arrizubieta<sup>1</sup>, Matthew Sparkes<sup>1</sup>, Jon Lillie<sup>2</sup>, Tomoki Arichi<sup>3</sup>, Sushma Goyal<sup>1</sup>

<sup>1</sup>Paediatric Clinical Neurophysiology, Evelina London Children's Hospital, London, United Kingdom, <sup>2</sup>Paediatric Intensive Care, Evelina London Children's Hospital, London, UK, <sup>3</sup>Department of Early Life Imaging, School of Biomedical Engineering and Imaging Sciences, King's College London, London, UK

### P55

Early focal electroencephalogram and neuroimaging findings predict epilepsy development after subarachnoid hemorrhage

Daniel Campos-Fernández<sup>1</sup>, Ana Montes<sup>2</sup>, Vanessa Thonon<sup>3</sup>, Maria Sueiras<sup>3</sup>, Manuel Quintana<sup>1</sup>, Marc Rodrigo<sup>1</sup>, Manel Santafé<sup>4</sup>, Jacint Sala-Padró<sup>2</sup>, Estevo Santamarina<sup>1</sup>, Laura Abraira<sup>1</sup>

<sup>1</sup>Epilepsy Unit, Neurology Department. Vall d'Hebron University Hospital, Barcelona, Spain, <sup>2</sup>Epilepsy Unit, Neurology department, Bellvitge University Hospital, Barcelona, Spain, <sup>3</sup>Neurophysiology Department. Vall d'Hebron University Hospital, Barcelona, Spain, <sup>4</sup>Intensive Care Department, Vall d'Hebron University Hospital, Barcelona, Spain

### P56

Therapeutic Management and Clinical Outcomes of Autoimmune Encephalitis-associated Status Epilepticus: a Case Series

<u>Sara Cipollone</u><sup>1</sup>, Davide Liviello<sup>1</sup>, Sibilla De Angelis<sup>1</sup>, Paolo Quintieri<sup>1</sup>, Clarissa Corniello<sup>1</sup>, Giacomo Evangelista<sup>1</sup>, Stefano Consoli<sup>1</sup>, Francesca Anzellotti<sup>1</sup>, Fedele Dono<sup>1</sup>, Stefano Sensi<sup>1</sup>

<sup>1</sup>University of Chieti-Pescara, Chieti, Italy



Diagnosis and treatment of status epilepticus in Down Syndrome (DS): A case report and systematic literature review

<u>Clarissa Corniello</u><sup>1</sup>, Fedele Dono<sup>1</sup>, Giacomo Evangelista<sup>1</sup>, Astrid Thomas<sup>1</sup>, Marco Onofrj<sup>1</sup>, Stefano Luca Sensi<sup>1</sup>

<sup>1</sup>Department of Neuroscience, Imaging and Clinical Science, "G. d'Annunzio" University of Chieti-Pescara, Chieti, Italy

P58

Status epilepticus as a complication of COVID-19 vaccination: a literature review.

<u>Michelangelo Dasara</u><sup>1</sup>, Fedele Dono<sup>1</sup>, Clarissa Corniello<sup>2</sup>, Stefano Luca Sensi<sup>1</sup>

<sup>1</sup>Department of Neuroscience, Imaging and Clinical Science, "G. d'Annunzio" University of Chieti-Pescara, Chieti, Italy, Chieti Scalo, Italy, <sup>2</sup>Epilepsy Center, Neurology Department, "SS Annunziata" Hospital, Chieti, Italy, Chieti Scalo, Italy



Refractory non-convulsive status epilepticus induced by an intrathecal injection of tiocolchicoside (TCC): a case report

<u>Sibilla De Angelis<sup>1</sup></u>, Giacomo Evangelista<sup>1</sup>, Stefano Consoli<sup>1</sup>, Fedele Dono<sup>1</sup>, Clarissa Corniello<sup>1</sup>, Paolo Quintieri<sup>1</sup>, Davide Liviello<sup>1</sup>, Sara Cipollone<sup>1</sup>, Michelangelo Dasara<sup>1</sup>, Mirella Russo<sup>1</sup>, Stefano Luca Sensi<sup>1</sup>

<sup>1</sup>Gabriele D'Annunzio" University Of Chieti-Pescara/Department of Neuroscience, Imaging and Clinical Sciences, Chieti, Italy

STEPPER (Status Epilepticus in Emilia Romagna): therapeutic interventions and quality of care in Emilia-Romagna Region, Italy

Lidia Di Vito<sup>1</sup>, <u>Eleonora Matteo</u><sup>5</sup>, Paolo Tinuper<sup>2</sup>, Stefano Meletti<sup>34</sup>, Roberto Michelucci<sup>1</sup>, Francesca Bisulli<sup>1,2</sup>, Giada Giovannini<sup>34</sup>, Elena Pasini<sup>1</sup>, Luca Vignatelli<sup>1</sup>, Corrado Zenesini<sup>1</sup>, STEPPER STUDY GROUP<sup>5</sup>

<sup>3</sup>IRCCS Institute of Neurological Sciences Bologna, full member of the European Reference Network EpiCARE, Bologna, Italy, <sup>2</sup>Department of Biomedical and Neuromotor Sciences University of Bologna, Bologna, Italy, <sup>3</sup>Department of Biomedical, Metabolic and Neural Sciences, Center for Neuroscience and Neurotechnology, University of Modena and Reggio Emilia , Modena, Italy, <sup>4</sup>Neurology department, OCB Hospital, AOU Modena, Modena, Italy, <sup>5</sup>M. Zanello, S. Mazzoni, MC. Casadio, C.A. Castioni, G. Stofella, A. Zini, M. Tappatà, M. Romoli, C. Coniglio, R. Rinaldi, P. De Massis, I. Naldi, G. Turchi, N. Orlandi, A. Marudi, G. Monti, A. Pignatti, R. Rizzi, M. Russo, I. Florindo, L. Zinno, V. Tontini, E. Picetti, C. Giorgi, E. Fallica, E. Cesnik, M. Pugliatti, E. Marchesi, C. Bomprezzi, Y. Bartolini, G. Bini, C. Leta, D. Passarelli, A. Guidi, FD. Baccarini, M. Currò Dossi, G. Bernabè, F. Ceccaroni, M. Volpini

### P61

Clinical Characteristics and Treatment Approach of Established New-Onset Status Epilepticus (eNOSE): A Real-Word Multicenter Experience.

<u>Fedele Dono<sup>1</sup></u>, Giacomo Evangelista<sup>1</sup>, Eleonora Rollo<sup>2</sup>, Marina Romozzi<sup>2</sup>, Clarissa Corniello<sup>1</sup>, Davide Liviello<sup>1</sup>, Michelangelo Dasara<sup>1</sup>, Serenella Servidei<sup>2</sup>, Giacomo Della Marca<sup>2</sup>, Paolo Calabresi<sup>2</sup>, Stefano Sensi<sup>1</sup>, Catello Vollono<sup>2</sup>

<sup>1</sup>Department of Neuroscience, Imaging and Clinical Sciences, "G. d' Annunzio" University Of Chieti-Pescara, Chieti, Italy, <sup>2</sup>Istituto di Neurologia, Dipartimento di Neuroscienze, Organi di Senso e Torace, Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy., Rome, Italy



### NORSE seasonality may vary geographically in adults

<u>Andrea Enerstad Bolle<sup>1,2</sup></u>, Thomas Gaist<sup>1</sup>, Anna Maria Eleonora Kuljis<sup>1</sup>, Morten Blaabjerg<sup>1,2,3</sup>, Christoph Patrick Beier<sup>1,2,3,4</sup>

<sup>1</sup>Department of Neurology, Odense University Hospital, Odense, Denmark, <sup>2</sup>BRIDGE: Brain Research - Inter Disciplinary Guided Excellence, Odense, Denmark, <sup>3</sup>Department of Clinical Research, University of Southern Denmark, Odense, Denmark, <sup>4</sup>OPEN, Open Patient data Explorative Network, Odense University Hospital, Odense, Denmark



Current management of urgent epileptic seizures in the Community of Madrid, a descriptive study

<u>Irene García-Morales</u><sup>1</sup>, Beatriz Parejo<sup>1</sup>, María Romeral<sup>1</sup>, Clara Lastras<sup>1</sup>, Pablo Mayo Rodriguez<sup>1</sup>

<sup>1</sup>Hospital Universitario Clínico San Carlos, Madrid, Spain



## Metabolomic changes in adults with status epilepticus: a human case-control study

<u>Aurelie Hanin<sup>1,2</sup>, Celine Chollet<sup>3</sup>, Sophie Demeret<sup>4</sup>, Lucas Di Meglio<sup>4</sup>, Florence Castelli<sup>3</sup>, Vincent Navarro<sup>2</sup></u>

<sup>1</sup>Department of Neurology, Yale University School of Medicine, New Haven, United States, <sup>2</sup>Institut du Cerveau - Pitie-Salpetriere Hospital - Dept of Neurology, Paris, France, <sup>3</sup>Université Paris Saclay, CEA, INRAE, Médicaments et Technologies pour la Santé (MTS), MetaboHUB, Gif-sur-Yvette, France, <sup>4</sup>Pitie-Salpetriere Hospital - Neurointensive Care Unit, Paris, France

Long-term Mortality of Patients with Seizure Emergencies – a Population-Based Study

<u>Leena Kämppi</u><sup>1,2</sup>, Jaakko Ritvanen<sup>2,3</sup>, Kati Tuppurainen<sup>2,3</sup>, Jari Päkkilä<sup>4</sup>, Tuukka Puolakka<sup>2,5</sup>, Jukka Peltola<sup>6,7</sup>

<sup>1</sup>Epilepsia Helsinki, Department of Neurology, Helsinki University Hospital, Helsinki, Finland, <sup>2</sup>University of Helsinki, Helsinki, Finland, <sup>3</sup>Department of Neurology, Helsinki University Hospital, Helsinki, Finland, <sup>4</sup>Department of Mathematical Sciences, University of Oulu, Oulu, Finland, <sup>5</sup>Department of Emergency Medicine & Services, Helsinki University Hospital, Helsinki, Finland, <sup>6</sup>Department of Neurology, Tampere University Hospital, Tampere, Finland, <sup>7</sup>University of Tampere, Tampere, Finland

### **P66**

Dancing sugar! A case of Epilepsia Partialis Continua and subsequent belly dancing syndrome in a patient with Hyperosmolar Hyperglycemic State

<u>Davide Liviello</u><sup>1</sup>, Sara Cipollone<sup>1</sup>, Clarissa Corniello<sup>1</sup>, Sibilla De Angelis<sup>1</sup>, Stefano Consoli<sup>1</sup>, Giacomo Evangelista<sup>1</sup>, Laura Marzetti<sup>1</sup>, Fedele Dono<sup>1</sup>, Stefano Sensi<sup>1</sup>

<sup>1</sup>University of Chieti-Pescara, Chieti, Italy

### P67

Autoimmune-associated epilepsy as the outcome of autoimmune encephalitis with NORSE presentation in a cohort of pediatric patients

<u>Sara Matricardi</u><sup>1</sup>, Margherita Nosadini<sup>2</sup>, Stefano Sartori<sup>2</sup>, Federico Massa<sup>3</sup>, Luana Benedetti<sup>4</sup>, Francesca Felicia Operto<sup>5</sup>, Sara Mariotto<sup>6</sup>, Silvia Bozzetti<sup>6</sup>, Elena Freri<sup>7</sup>, Elisabetta Cesaroni<sup>8</sup>, Silvia Cappanera<sup>8</sup>, Carla Marini<sup>8</sup>, Stefania Bova<sup>9</sup>, Alberto Verrotti<sup>10</sup>, Lucia Fusco<sup>11</sup>, Tiziana Granata<sup>7</sup>, Flavio Villani<sup>12</sup>

<sup>1</sup>Department of Pediatrics, University of Chieti, Chieti, Italy, <sup>2</sup>Paediatric Neurology and Neurophysiology Unit, Department of Women's and Children's Health, University Hospital of Padova, Padova, Italy, <sup>3</sup>Department of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health (DINOGMI), University of Genoa, Genoa, Italy, <sup>4</sup>IRCCS Ospedale Policlinico San Martino, Genova, Italy, <sup>5</sup>IRCCS Ospedale Policlinico San Martino, Genova, Italy, <sup>6</sup>Neurology Unit, Department of Neurosciences, Biomedicine, and Movement Sciences, University of Verona, Verona, Italy, <sup>7</sup>Department of Pediatric Neuroscience, Fondazione IRCCS Istituto Neurologico Carlo Besta, Full Member of European Reference Network EpiCARE, Milan, Italy, <sup>8</sup>Child Neurology and Psychiatry Unit, Children's Hospital "G. Salesi", Ospedali Riuniti Ancona, Ancona, Italy, <sup>9</sup>Department of Pediatric Neurology, Vittore Buzzi Children's Hospital Milan, Milan, Italy, <sup>10</sup>Department of Pediatrics, University of Perugia, Perugia, Italy, <sup>11</sup>Department of Neuroscience, Bambino Gesù Children's Hospital, IRCCS, Full Member of European Reference Network EpiCARE, Rome, Italy, <sup>12</sup>Division of Clinical Neurophysiology and Epilepsy Centre, IRCCS Ospedale Policlinico San Martino, Genova, Italy



Status epilepticus and seizure formation: mechanistic insights from REM sleep

<u>Graham McLeod</u><sup>1</sup>, Paul Szelemej<sup>2</sup>, Darion Toutant<sup>2</sup>, Marna McKenzie<sup>2</sup>, Marcus Ng<sup>2</sup>

<sup>1</sup>University Of Calgary, Calgary, Canada, <sup>2</sup>University of Manitoba, Winnipeg, Manitoba

### P69

## Febrile-infection related epilepsy syndrome associated with sclerosing cholangitis: casual or causal relationship?

Lorenzo Muccioli<sup>1</sup>, Lidia Di Vito<sup>2</sup>, Elena Pasini<sup>2</sup>, Lorenzo Ferri<sup>1</sup>, Giovanni Vitale<sup>3</sup>, Alessandro Granito<sup>4</sup>, Barbara Mostacci<sup>2</sup>, Laura Licchetta<sup>2</sup>, Rocco Liguori<sup>1</sup>, Roberto Michelucci<sup>2</sup>, Paolo Tinuper<sup>1</sup>, Carlo Alberto Castioni<sup>2</sup>, Francesca Bisulli<sup>1</sup>

<sup>1</sup>Department of Biomedical and Neuromotor Sciences, University Of Bologna, Bologna, Italy, <sup>2</sup>IRCCS Istituto delle Scienze Neurologiche di Bologna, Bologna, Italy, <sup>3</sup>Internal Medicine Unit for the treatment of Severe Organ Failure, IRCCS Azienda Ospedaliero-Universitaria di Bologna, Bologna, Italy, <sup>4</sup>Division of Internal Medicine, Hepatobiliary and Immunoallergic Diseases, IRCCS Azienda Ospedaliero-Universitaria di Bologna, Bologna, Italy

Heart Rate Variability (HRV) demonstrates a decreased vagal output in patients with status epilepticus developing Tako-Tsubo cardiomyopathy.

<u>Paolo Quintieri<sup>1,2</sup>, Fedele Dono<sup>1,2</sup>, Giacomo Evangelista<sup>1,2</sup>,</u> Stefano Consoli<sup>1,2</sup>, Sibilla De Angelis<sup>1,2</sup>, Clarissa Corniello<sup>1,2</sup>, Davide Liviello<sup>1,2</sup>, Sara Cipollone<sup>1,2</sup>, Mirella Russo<sup>1,2</sup>, Michelangelo Dasara<sup>1,2</sup>, Francesca Anzellotti<sup>1,2</sup>, Stefano Sensi<sup>1,2</sup>

<sup>1</sup>University Gabriele D'annunzio of Chieti-Pescara, Pescara, Italy, <sup>2</sup>Epilepsy Center, Neurology Institute, "SS Annunziata" University Hospital, Chieti, "G. d'Annunzio" University of Chieti-Pescara, Chieti, Italy

### P71

Infantile New Onset Refractory Status Epilepticus: the clinical phenomenon of infants and young children with refractory status epilepticus and subsequent developmental delay

Hope Reecher<sup>1</sup>, Raquel Farias-Moeller<sup>1</sup>

<sup>1</sup>Medical College of Wisconsin, Wauwatosa, United States

### P72

New serum biomarkers related to the diagnosis of Status Epilepticus (SE).

<u>Estevo Santamarina</u><sup>1</sup>, Daniel Campos-Fernandez<sup>1</sup>, Laura Abraira del Fresno<sup>1</sup>, Manuel Quintana<sup>1</sup>, Anna Pennalba<sup>2</sup>, Elena Fonseca<sup>1</sup>, Samuel Lopez-Maza<sup>1</sup>, Manuel Toledo<sup>1</sup>

<sup>1</sup>Hospital Vall Hebron, Barcelona, Spain, <sup>2</sup>Neurovascular Laboratory. Vall Hebron Institute Research, Barcelona, Spain



Status epilepticus in patients with brain tumors and metastases: A multicenter cohort study of 208 patients

Adam Strzelczyk<sup>1</sup>, Johanna Rickel<sup>1</sup>, Daria Zeeb<sup>2</sup>, Susanne Knake<sup>2</sup>, Hans Urban<sup>1</sup>, Jürgen Konczalla<sup>1</sup>, Katharina Weber<sup>1</sup>, Pia Zeiner<sup>1</sup>, Axel Pagenstecher<sup>2</sup>, Elke Hattingen<sup>1</sup>, André Kemmling<sup>2</sup>, Emmanouil Fokas<sup>1</sup>, Sebastian Adeberg<sup>2</sup>, Robert Wolff<sup>1</sup>, Martin Sebastian<sup>1</sup>, Tillmann Rusch<sup>2</sup>, Michael Ronellenfitsch<sup>1</sup>, Katja Menzler<sup>2</sup>, Lena Habermehl<sup>2</sup>, Leona Möller<sup>2</sup>, Marcus Czabanka<sup>1</sup>, Christopher Nimsky<sup>2</sup>, Lars Timmermann<sup>2</sup>, Christian Grefkes<sup>1</sup>, Joachim Steinbach<sup>1</sup>, Felix Rosenow<sup>1</sup>, Leena Kämppi<sup>1,3</sup>

<sup>1</sup>Goethe-University Frankfurt, Frankfurt, Germany, <sup>2</sup>Philipps-University Marburg, Marburg, Germany, <sup>3</sup>Epilepsia Helsinki, Helsinki, Finland

### P74

Cefazolin-induced Supra-refractory Status Epilepticus

Sikawat Thanaviratananich1

<sup>1</sup>Chulalongkorn University, Ket Ratchatewi, Thailand

### P75

Validity of Integrated-Smartwatch Predictive Models for Seizure Occurence in Critically Ill Patients

#### Peerasit Treesuthacheep<sup>1</sup>, Chusak Limotai<sup>1</sup>

<sup>1</sup>Chulalongkorn Comprehensive Epilepsy Center of Excellence (CCEC), King Chulalongkorn Memorial Hospital, The Thai Red Cross Society, Bangkok, Thailand, Bangkok, Thailand

### LIST OF POSTERS

### P76

Clinical case of a pregnant woman with cerebrovascular anomaly, hemorrhagic venous infarct and epileptic seizures

<u>Petar Vasilev<sup>1,2</sup>, Ekaterina</u> Viteva<sup>1,2</sup>, Georgi Slavov<sup>1,2</sup>, Kostadin Chompalov<sup>1,2</sup>, Borislava Atanasova<sup>1,2</sup>, Mihail Kalnev<sup>3,4</sup>, Penka Atanasova<sup>1,2</sup>

<sup>1</sup>Medical University Plovdiv, Department of Neurology, Plovdiv, Bulgaria, <sup>2</sup>UMHAT St. George - Plovdiv, Department of Neurology, Plovdiv, Bulgaria, <sup>3</sup>Medical University Plovdiv, Department of Neurosurgery, Plovdiv, Bulgaria, <sup>4</sup>UMHAT St. George - Plovdiv, Department of Neurosurgery, Plovdiv, Bulgaria



Intracranial EEG recording demonstrates changes in powerfrequency spectrum during status epilepticus associated with drug administration and seizure phases.

Jasmine Wall<sup>1,3</sup>, Aravind Kamaraj<sup>2</sup>, Haga Kardwell<sup>3</sup>, Gonzalo Alarcon<sup>3</sup>, Rajiv Mohanraj<sup>1,3</sup>

<sup>1</sup>University Of Manchester, Manchester, United Kingdom, <sup>2</sup>University of Birmingham, Manchester, United Kingdom, <sup>3</sup>Northern Care Alliance, Salford, United Kingdom



Hospital avoidance using courses of oral phenobarbital in a patient previously admitted with focal onset status

Angela Yan<sup>1</sup>, Bridget MacDonald<sup>1</sup>

<sup>1</sup>Croydon University Hospital, London, United Kingdom



Status Epilepticus Care Pathway - Emphasizing the Importance of Multidisciplinary Teams for Treating Superrefractory Status Epilepticus

Anne-Mari Kantanen<sup>1</sup>, Zakarya Hadj-Allal<sup>1</sup>, Reetta Kälviäinen<sup>1,2</sup>

<sup>1</sup>Kuopio Epilepsy Center, Neurocenter, Kuopio University Hospital, Member of ERN EpiCARE, Kuopio, Finland, <sup>2</sup>Institute of Clinical Medicine, School of Medicine, Faculty of Health Sciences, University of Eastern Finland, Kuopio, Finland

We wish to acknowledge the generous financial support by the institutions and companies listed below:

### MAIN SPONSORS





### SAPPHIRE SPONSORS





### SPONSORS





**UNEEG**<sup>\*</sup>medical



### PRE-COLLOQUIUM TEACHING COURSE SPONSOR



#### BIOCODEX, APRIL 08, 2024 - 12:15-13:15

Dravet syndrome – Burden of status epilepticus and therapeutic options for its management

Introduction & Survey

Impact of status epilepticus in Dravet syndrome's mortality, quality of life and cost for society Stéphane Auvin (Paris, France)

Prevention and treatment of status epilepticus in Dravet syndrome: what are the options? Adam Strzelczyk (Frankfurt, Germany)

**Discussion & Survey** 

#### UCB PHARMA, APRIL 09, 2024 - 14:00-15:00

Rapid and early seizure termination (REST): Considering the impact of timing and route of administration

Welcome and introduction

The burden of seizure emergencies Nicolas Gaspard (Brussels, Belgium)

The importance of rapid and early seizure termination (REST): preventing seizure progression Reetta Kälviäinen (Kuopio, Finland)

Key considerations for achieving rapid and early seizure termination (REST): PK and the effect of route of administration James Cloyd (Minnesota, United States)

Questions to the floor (discussion and Q&A) all

### SPONSORED TALK ON BEHALF OF MARINUS PHARMACEUTICALS, APRIL 10, 17:00-17:20

Clinical Development of an Investigational Neuroactive Steroid in Refractory Status Epilepticus Megan Barra PharmD, FNCS, FCCM

### COLLOQUIUM DINNER - STATIONER'S HALL

Tuesday, April 9<sup>th</sup>, 2024 19.30 – 24.00

The conference dinners at the Status Epilepticus Colloquia are famously entertaining. This time, the dinner is being held at the Stationer's Hall, and easy taxi or tube ride from the congress centre. Stationer's Hall is a historic building, dating from 1673 when it was rebuilt after the Great Fire of London. It has a long and distinguished history. The main hall, when dinner is served, has gleaming oak floors, carved oak panelling, floodlit stained glass windows, and is a spectacular and atmospheric backdrop to the dinner. The menu is excellent and all delegates and partners or friends are invited to attend. Tickets are available from the registration desk at the colloquium.



Dress code: smart casual Address: Stationers' Hall, Ave Maria Lane, London EC4M 7DD Web: https://www.stationershall.co.uk/

## Transforming Lives. Redefining Possibilities.



Jazz Pharmaceuticals is a global biopharmaceutical company whose purpose is to innovate to transform the lives of patients and their families. We are dedicated to developing potentially life-changing medicines for people with serious diseases — often with limited or no therapeutic options.



Jazz Pharmaceuticals provided financial support only, and has had no input or influence over any material at the 9th London Innsbruck Colloquium.

©2024 Jazz Pharmaceuticals plc. All rights reserved. March 2024. INT-NEU-2400036.

#### **CONFERENCE VENUE**

Imperial College London Sherfield Building South Kensington Campus London SW7 2AZ, United Kingdom

#### **REGISTRATION DESK**

The registration will be located on the ground floor of the Imperial College London next to the entrance. During opening hours, you can reach us on: +43 512 5936 1161

Opening hours of the registration desk are as follows:

#### **Registration Colloquium**

Monday, April 8th, 2024:08:00 - 17:00Tuesday, April 9th, 2024:08:00 - 17:30Wednesday, April 10th, 2024:08:00 - 18:00

#### **CONGRESS ORGANISERS**

PCO Tyrol Congress Rennweg 3 6020 Innsbruck T: +43 (0) 512 575600 E: status@cmi.at



### **EXHIBITION ORGANISERS**

studio12 gmbh Kaiser Josef Straße 9 6020 Innsbruck T: +43 (0) 512 890438 E: office@studio12.co.at




## 

### Through commitment, innovation, and collaboration,

Marinus is dedicated to the development of treatments for status epilepticus and rare epilepsies.

**RAISE** and **RAISE II** Trails: Phase 3 clinical studies evaluating the efficacy and safety of investigational IV ganaxolone in refractory status epilepticus.

## **X**raise



To learn more, please visit us at our table or scan the QR code.



### **CERTIFICATE OF ATTENDANCE**

All registered delegates receive an official certificate of attendance after the conference by email together with a survey about the colloquium.

### **CME CREDITS**

The g<sup>th</sup> London-Innsbruck Colloquium on Status Epilepticus and Acute Seizures, London, United Kingdom 08/04/2024 - 10/04/2024, has been accredited by the European Accreditation Council for Continuing Medical Education (EACCME®) with 15.0 European CME credits (ECMEC®s). Each medical specialist should claim only those hours of credit that he/ she actually spent in the educational activity.

### **COFFEE BREAKS AND REFRESHMENTS**

Coffee and tea will be served during the official coffee breaks. Light lunches will be served during the lunch breaks.

### **CONGRESS DOCUMENTS AND NAME BADGES**

Congress documents have to be collected on-site at the registration desk. Name badges must be always worn visibly during the conference, networking activities and in the exhibition and poster area.

### **CPD CREDITS**

The g<sup>th</sup> London-Innsbruck Colloquium on Status Epilepticus and Acute Seizures has been approved by the Federation of the Royal Colleges of Physicians of the United Kingdom for 24 category 1 (external) CPD credit(s).

### CURRENCY

The official currency in the UK is the pound sterling. Major credit cards are accepted in most hotels, shops and restaurants. Automatic teller machines (ATMs) are available throughout the city.

### **TRADE EXHIBITION**

A trade exhibition of pharmaceutical companies and manufacturers of medical equipment is held next to the registration desk on the ground floor.

### INFRASTRUCTURE

#### **Public transport**

South Kensington and Gloucester Road tube stations are located within a 10-minute walk of the South Kensington campus.

Both stations are served by the Circle, District and Piccadilly lines. A map of the London underground is available to view on the TfL website. A number of buses also stop nearby: 9, 10, 52, 452, 70, C1, 49, 74, 12, 414, 430, 345, 360.

#### Local taxi numbers

There are many taxi firms operating in the local area and a selection are shown below. There are also online taxi services (including Uber, Gett, Bolt, Hailo, Addison Lee etc). Black cabs can also be hailed on the street.

**Royal Chelsea Cars** 020 7370 4554 | 104 Gloucester Road

ABC Cars Kensington 020 7937 2315 / 020 7938 2644 80 Kensington High St

Airport Transfer 020 7434 3666 | 58 Tregunter Road


### LIABILITY AND INSURANCE

Neither the organisers, nor the congress secretariat or other suppliers accept liability for personal injuries or loss or damage of property belonging to congress delegates, either during or as a result of the Congress or during any of the excursion tours. It is recommended that participants arrange for their own personal health, accident and travel insurance.

### WI-FI ACCESS

Please note that visitors and guests can access the Cloud service without registering for a guest account. Free WiFi is available throughout the College estate via Sky WiFi. Delegates can connect to The Cloud from the available network list by opening a browser and following the instructions to register on skywifi.cloud.







### THE

**10<sup>TH</sup> LONDON - INNSBRUCK** COLLOQUIUM **ON STATUS EPILEPTICUS** AND ACUTE SEIZURES

APRIL 16 - 18, 2026

### SAVE THE DATE

WWW.STATUSEPILEPTICUS.EU









 · · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	

-	
-	
-	
_	
-	
<u>.</u> .	
-	
-	
-	

## Changing **lives**

Inspired by patients. Driven by science.

Herholer Interiope

We are driven to improve the lives of people living with epilepsy. For 30 years we have focused on discovering solutions that help transform the epilepsy management landscape and help improve the lives of people around the world.

The non-promotional activities developed and funded by UCB are intended for healthcare professionals only. © UCB Biopharma SRL, 2024. All rights reserved. GL-DA-2400087 | Date of preparation: March 2024

# BIOCODEX

## **Supporting their future!**

Leo is 5 years old. He lives with Dravet syndrome and has many dreams and projects. Today, Artificial Intelligence allows us to visualize Leo's dreams.

At Biocodex, we are working each day with the collective intelligence of all the caregivers, families and the rare epilepsies community to give Leo and other children with Dravet the best lives possible and support their achievements. Each and every day.